

A Review of Length-Weight Relationships of Fishes from Greek Marine Waters

K.I. Stergiou and D.K. Moutopoulos

Abstract

This paper presents 649 length-weight relationships gathered from literature pertaining to 83 fish species, belonging to 34 families, throughout Greek marine waters. The value of the slope b ranged from 1.667 for *Cepola macrophthalma* to 3.707 for *Mullus barbatus*. The mean value of b was 2.989 (SD=0.339) and did not differ significantly from 3 (t-test, $p < 0.05$). The median value of b was 3.058 and 50% of the b values ranged between 2.900 and 3.186.

Introduction

Length-weight relationships are very useful for fisheries research because they: (a) allow the conversion of growth-in-length equations to growth-in-weight for use in stock assessment models; (b) allow the estimation of biomass from length observations; (c) allow an estimate of the condition of the fish; and (d) are useful for between-region comparisons of life histories of certain species (Goncalves et al. 1996, Froese and Pauly 1998, Moutopoulos and Stergiou 2000). They are an important component of FishBase (Froese and Pauly 1998). In this review we gathered 649 length-weight relationships from the literature for 83 fish species from Greek marine waters.

Materials and Methods

All length-weight relationships presented here are the product of field studies conducted during 1975-1998 in Greek marine waters, and are consistent with the format suitable for inclusion in FishBase. For the majority of the original length-weight relationships ($W=aL^b$), length was in mm and weight in g (519 relationships out of 649; 80%), whereas for 97 (15%) relationships, length and weight were expressed in cm and g, for 24 (3.7%) in cm and kg and for 9 (1.3%) in mm and mg. For all length-weight relationships presented here, length has been expressed in cm and weight in g.

Results and Discussion

Overall, 649 length-weight relationships (Table 1) were gathered from the literature, referring to 83 fish species, belonging to 34 families, from Greek marine waters. Overall, 119 out of the 649 length-weight relationships refer to *Pagellus erythrinus* (18.3%), 73 (11.2%) to *Mullus barbatus* and 58 (8.9%) to *Merluccius merluccius*, three of the most commercially important demersal species in Greek seas. In terms of families, Sparidae, Mullidae, Triglidae, Merlucciidae, Cepolidae, Gadidae and Centracanthidae dominated the records, with 167 (25.7%), 93 (14.3%), 75 (11.6%), 58 (8.9%), 43 (6.6%), 36 (5.5%) and 22 (3.4%) relationships, respectively. The remaining 27 families each were represented by less than 20 relationships.

The value of the slope b in the plot of $\log W$ against $\log L$ ranged from 1.667 for *Cepola rubescens* in the Evvoikos Gulf, to 3.707 for *Mullus barbatus* in the Patraikos Gulf. The mean value of b was 2.989 (SD=0.339) and did not differ significantly from 3 (t-test, $p < 0.05$). The median value of b was 3.058 and 50% of the b values ranged between 2.900 and 3.186.

Froese (personal communication) has suggested that a plot of $\log a$ versus b for all known length-weight relationships of a species results in a linear relationship, and that this relationship can be used to identify outliers. We have applied this method to all species with more than 10 length-weight relationships. An example is shown in Figure 1 for four species (*Cepola rubescens*, *Pagellus erythrinus*, *Thunnus alalunga* and *Lepidotrigla cavillone*). This led to the detection of outliers, where the

respective point deviated more than two standard deviations from the regression line. These length-weight relationships were marked as 'questionable' in Table 1.

Acknowledgments

The authors wish to extend their gratitude to Dr. R. Froese for his useful comments and suggestions.

References

De Metrio, G., P. Megalofonou and S. Tselas. 1989a. Fishery and biology of the swordfish *Xiphias gladius*, L., 1758, in Greek waters. FAO Fisheries Report 412: 135-145.

De Metrio, G., P. Megalofonou, S. Tselas, and N. Tsimenides. 1989b. Fisheries for large Scombrids in Greek waters: catches of *Thunnus alalunga* (Bonn 1788). FAO Fisheries Report 412: 146-152.

Froese, R. and D. Pauly. 1998. FishBase

1998: Concepts, design and data sources. Manila, ICLARM. 293 p.

Gonçalves, J.M.S., L. Bentes, P.G. Lino, J. Ribeiro, A.V.M. Canario, and K. Erzini. 1996. Weight-length relationships for selected fish species of the small-scale demersal fisheries of the south and south-west coast of Portugal. Fish. Res. 30: 253-256.

Karlou-Riga, C. 1995. Biology and dynamics of the *Trachurus* species (Pisces, Carangidae) in the Saronikos Gulf. Aristotle University of Thessaloniki, Greece. 296 p. Ph.D dissertation. (in Hellenic, English abstract).

Karlou-Riga, C. and A. Sinis. 1997. Age and growth of horse mackerel, *Trachurus trachurus* (L.), in the Gulf of Saronikos (Greece). Fisheries Research 32:157-171.

Klaoudatos, S and J. Apostolopoulos. 1986. Food intake, growth, maintenance and food conversion efficiency in the gilthead sea bream (*Sparus aurata*). Aquaculture 51: 217-224.

Koutrakis, M. and A.I. Sinis. 1994. Growth analysis of grey mullets (Pisces, Mugilidae) as related to age and site. Israel Journal of Zoology 40: 37-53.

Lazaris, C.D. 1995. Stock analysis of *Merluccius merluccius* based on data statistics. Hellenic Fishing News 164:113-125.

Lefkaditou, E., P. Megalofonou, G. De Metrio, and N. Tsimenides. 1989. Fisheries for large scombrids in Greek waters: Catches of bluefin tuna (*Thunnus thynnus* L.). FAO Fisheries Report 412:153-163.

Leonardos, I., A. Sinis and D. Petridis. 1996. Influence of environmental factors on the population dynamics of *Aphanius fasciatus* (Nardo, 1827) (Pisces: Cyprinodontidae) in the lagoons Messolongi and Etolikon (W. Greece). Israel Journal of Zoology 42:231-249.

Loukmidou, S.P. 1998. Biology and dynamics of anchovy *Engraulis encrasicolus* (Linnaeus, 1758) (Pisces: Engraulidae) in the Thermaikos Gulf. Aristotle University of Thessaloniki, Greece. 60 p. M.Sc. thesis. (in Hellenic, English abstract).




Fig. 1. Plots of $\log(a')$ versus b for all available length-weight relationships of four fish species in Greek marine waters. Note outliers (i.e., points which deviated more than two standard deviations from the regression lines) for *Cepola rubescens* (2 outliers) and *Pagellus erythrinus* (3 outliers). See also Table 1.

- Loukmidou, S.P. and K. I. Stergiou. 1998. Length-weight, length relationships and spawning of anchovy (*Engraulis encrasicolus*, L. 1758) in the Thermaikos Gulf. Proceedings of the 20th meeting of the Hellenic Society of Biological Sciences 20:169-170.
- Machias, A., S. Somarakis, M. Giannoulaki, L. Manousakis, A. Kapantagakis and N. Tsimenides. 1997. Estimation of the Aegean anchovy stock by means of two independent methods. II. Hydroacoustics. 5th Hellenic Symposium on Oceanography and Fisheries 5: 47-50.
- Megalofonou, P. 1991. Size distribution, length-weight relationships, age and sex of albacore, *Thunnus alalunga* Bonn., in the Aegean Sea. FAO Fisheries Report 449:197-213.
- Megalofonou, P. 1998. Biology and dynamics of albacore *Thunnus alalunga* (Bonnaterre 1788) in the Eastern Mediterranean Sea. University of Athens, Greece 265 p. Ph.D. dissertation. (in Hellenic, English abstract).
- Megalofonou, P., G. De Metro, and M. Lenti. 1991. Catch, size distribution, age and some population parameters of swordfish, *Xiphias gladius* L., in the Greek Seas. FAO Fisheries Report 449:224-244.
- Moutopoulos, D.K and K.I. Stergiou. 1998. Length-weight and length relationships for seven fish species of the Aegean Sea. Proceedings of the 20th meeting of the Hellenic Society of Biological Sciences 20: 207-208.
- Moutopoulos, D.K. and K.I. Stergiou. 2000. Weight-length and length-length relationships for 40 fish species of the Aegean Sea (Hellas). Journal of Applied Ichthyology (in press).
- Mytilineou, Ch. 1988. Donnees biologiques sur le pageot, *Pagellus erythrinus*, des cotes orientales de la Grece centrale. FAO Fisheries Report 412: 77-82.
- Mytilineou, Ch. And C. Papaconstantinou. 1991. Age and growth of *Spicara flexuosa* (Rafinesque, 1810) (Pisces, Centranchthidae) in the Patraikos Gulf (Greece). Scientia Marina 55: 483-490.
- Papaconstantinou, C. 1981. Age and growth of piper, *Trigla lyra*, in Saronikos Gulf (Greece). Cybium 5:73-87.
- Papaconstantinou, C. 1982a. Age and growth of grey gurnard (*Eutrigla gurnardus*) in the Pagassitikos Gulf (Greece). Investigaciona Pesquera 46:191-213.
- Papaconstantinou, C. 1982b. On the biology of the *Lepidotrigla cavillone* (Fam. Triglidae) of the Greek Seas. Thalassographica 5:33-59.
- Papaconstantinou, C. 1983. On the biology of *Aspitrigla cuculus* (L., 1758) (Pisces: Scorpaeniformes) in the Saronikos Gulf. Thalassographica 6: 49-75 (in Hellenic, English abstract).
- Papaconstantinou, C. 1984a. The use of the length-weight relationship and the condition indices in the study of different red pandora (*Pagellus erythrinus* L.) stocks in Greek Seas. Thalassographica 7:53-60 (in Hellenic, English abstract).
- Papaconstantinou, C. 1984b. Age and growth of the yellow gurnard (*Trigla lucerna* L. 1758) from the Thermaikos Gulf (Greece) with some comments on its biology. Fisheries Research 2:243-255.
- Papaconstantinou, C. 1986. The life history of rock gurnard (*Trigloporus lastovisa* Brunn. 1768) in the Saronicos Gulf. Journal of Applied Ichthyology 2: 75-86.
- Papaconstantinou, C., E. Caragitsou, Ch. Mytilineou, G. Petrakis, V. Vassilopoulou and Th. Panou. 1988a. Demersal fish population dynamics in Patraikos and Korinthiakos Gulfs and the Ionian Sea. Volume II. National Centre for Marine Research, Athens, Hellas, Special Publication 16, 275 pp. (in Hellenic).
- Papaconstantinou, C., E. Caragitsou, V. Vassilopoulou, G. Petrakis, Ch. Mytilineou, Ch. Fourtouni, A. Tursi, C. -Y. Politou, M. Giagnisi, G. D' Onghia, A. Siapatis, A. Matarese, A. Economou, and E. Papageorgiou. 1993. Investigation of the abundance and distribution of demersal stocks of primary importance to the Greek fishery in the North Aegean Sea, Greece. National Centre for Marine Research, Athens, Hellas, Technical Report, March 1993, 316 p.
- Papaconstantinou, C., E. Caragitsou, V. Vassilopoulou, G. Petrakis, and K.I. Stergiou. 1988b. The coastal fisheries in Kastellorizo area. National Centre for Marine Resesarch, Athens, Greece, Special Publication 15, 106 p. (in Hellenic).
- Papaconstantinou, C., Ch. Mytilineou, and Th. Panou. 1988c. Aspects of the life history and fishery of red pandora, *Pagellus erythrinus* (Sparidae), off western Greece. Cybium 12: 267-280.
- Papaconstantinou, C. and G. Petrakis. 1989. Some data on the population dynamics of blue whiting (*Micromesistius poutassou*) in the North Euboikos Gulf. FAO Fisheries Report 412: 83-89.
- Papaconstantinou, C., G. Petrakis, E. Caragitsou, and Ch. Mytilineou. 1992a. Preliminary study on the biology of piper (*Trigla lyra*, L., 1758) in the Aegean Sea. FAO Fisheries Report 477:127-137.
- Papaconstantinou, C., G. Petrakis, and A. Fourtouni. 1992b. A preliminary study on the fishery biology of hake in the Aegean Sea. FAO Fisheries Report 477:139-149.
- Papaconstantinou, C., G. Petrakis, Ch. Mytilineou, C.-Y. Politou, V. Vassilopoulou, and H. Fourtouni. 1989. Fisheries investigations on the demersal fishes of the Evvoikos and Pagasitikos Gulfs. National Centre for Marine Research, Athens, Greece, Technical Report, 343 p.
- Papaconstantinou, C., C. -Y. Politou, E. Caragitsou, K.I. Stergiou, Ch. Mytilineou, V. Vassilopoulou, A. Fourtouni, M. Karkani, S. Kavadas, G. Petrakis, A. Siapatis, P. Chatzinikolaou and M. Giagnisi 1994. Investigations on the abundance and distribution of demersal stocks of primary importance in the Thermaikos Gulf and the Thracian Sea (Greece). National Centre for Marine Research, Athens, Greece, Technical Report, North Aegean Series 4/ 1994, 356 p.
- Papaconstantinou, C., N. Tsimenides and Ch. Daulas. 1981. Age, growth and reproduction of red mullet (*Mullus barbatus* L. 1758) in the Gulfs of Saronikos and Thermaikos. Thalassographica 4:39-66.
- Petrakis, G. and C. Papaconstantinou. 1990. Biology of *Sparisoma cretense* in the Dodecanese (Greece). Journal of Applied Ichthyology 6:14-23.
- Petrakis, G. and K.I. Stergiou. 1995.

- Weight-length relationships for 33 fish species in Greek waters. *Fisheries Research* 21:465-469.
- Politou, C.-Y. and C. Papaconstantinou. 1991. Population biology of *Trisopterus minutus capelanus* (Gadidae) from the eastern coast of Greece. *Cybius* 15:69-81.
- Stergiou, K.I. 1991. Biology, ecology and dynamics of *Cepola macrophthalma* (L. 1758) (Pisces Cepolidae) in the Euboikos and Pagassitikos Gulfs. Aristotle University of Thessaloniki, Greece 222 p. Ph. D. dissertation. (in Hellenic, English abstract).
- Stergiou, K.I. 1993. Seasonal changes in the length-weight relationship of red bandfish, *Cepola macrophthalma* (L.), in the Evvoikos and Pagasitikos gulfs. Proceedings of the 4th Hellenic Symposium on Oceanography and Fisheries 4:310-313 (in Hellenic, English abstract).
- Stergiou, K.I., P.S. Economidis, and A. Sinis. 1992. Age, growth and mortality of red bandfish, *Cepola macrophthalma* (L.), in the western Aegean Sea (Greece). *Journal of Fish Biology* 40:395-418.
- Stergiou, K.I. and H. Fournouni. 1991. Food habits, ontogenetic diet shift and selectivity in *Zeus faber* Linnaeus, 1758. *Journal of Fish Biology* 39:589-603.
- Stergiou, K.I. and C. -Y. Politou. 1995. Biological parameters, body length-weight and length-height relationships for various species in Greek waters. *Naga*, ICLARM Q. 18:42-45.
- Tsangridis, A. and N. Filippousis. 1989. Length-based approach to the estimation of growth and mortality of *Spicara smaris* (L.) in the Saronikos Gulf, Greece, and remarks on the application of the Beverton and Holt's relative yield per recruit model. *FAO Fisheries Report* 412:94-107.
- Tsimenides, N. and J. Ch. Ondrias. 1980. Growth studies on the anglerfishes *Lophius piscatorius* L., 1758 and *Lophius budegassa* Spinola, 1807, in Greek waters. *Thalassographica* 3:63-94.
- Tsimenides, N., C. Papaconstantinou, and Ch. Daoulas. 1978. Age and growth of hake (*Merluccius merluccius*) in the Saronikos and Thermaïkos Gulfs. *Thalassographica* 2:27-56 (in Hellenic, English abstract).
- Tsimenides, N. and G. Tserpes. 1989. Age determination and growth of swordfish, *Xiphias gladius* L., 1758, in the Aegean Sea. *Fisheries Research* 8:159-168.
- Vassilopoulou, V. 1989. Some biological parameters on the red porgy (*Pagrus pagrus*) in the Kastellorizo area. *FAO Fisheries Report* 412:108-115.
- Vassilopoulou, V. 1990. Preliminary biological data on silvery pout (*Gadiculus argenteus argenteus*) in the Northern Euboean Gulf (Greece). *Rapports et Proces-verbaux des Reunions Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee* 32:272.
- Vassilopoulou, V., Ch. Mytilineou, and C. Papaconstantinou. 1986. Preliminary biological data on the red pandora (*Pagellus erythrinus* L., 1758) in the Greek Seas. *FAO Fisheries Report* 361:107-112.
- Vassilopoulou, V. and C. Papaconstantinou. 1990. Growth by weight, condition factor and reproduction cycle of red pandora (*Pagellus erythrinus*) in the Saronikos Gulf. 3rd Hellenic Symposium on Oceanography and Fisheries 3:584-591 (in Hellenic, English abstract).
- Vassilopoulou, V. and C. Papaconstantinou. 1992a. Aspects of the biology of red mullet (*Mullus barbatus*) in the Aegean Sea. *FAO Fisheries Report* 477:115-126.
- Vassilopoulou, V. and C. Papaconstantinou. 1992b. Preliminary biological data on the striped red mullet (*Mullus surmuletus*) in the Aegean Sea. *FAO Fisheries Report* 477:85-96.
- Vassilopoulou, V. and C. Papaconstantinou. 1992c. Age, growth and mortality of the red porgy, *Pagrus pagrus*, in the eastern Mediterranean Sea (Dodecanese, Greece). *Vie milieu* 42:51-55.
- Vassilopoulou, V. and C. Papaconstantinou. 1994. Age, growth and mortality of the spotted flounder (*Citharus linguatula* Linnaeus, 1758) in the Aegean Sea. *Scientia Marina* 58:261-267.
- Velentzas, A. 1992. Age and growth of Mugilidae species. Aristotle University of Thessaloniki, Greece, 54 p. B.Sc. Thesis (in Hellenic).
- Vidalis, K. 1994. Biology and population structure of *Spicara smaris* (L.) in the Cretan Sea. University of Crete, Greece, 244 p. Ph.D. dissertation. (in Hellenic, English abstract).
- Vidalis, K. and N. Tsimenides. 1996. Age and determination and growth of picarel (*Spicara smaris*) from Cretan continental shelf (Greece). *Fisheries Research* 28: 395-421.
- Voulgaridou, P. 1997. Biology and dynamics of sardine *Sardina pilchardus* (Walbaum 1792) (Pisces, Clupeidae) in the Thermaïkos Gulf. Aristotle University of Thessaloniki, Greece, 68 p. M.Sc. thesis. (in Hellenic, English abstract).
- Voulgaridou, P. and K.I. Stergiou. 1997. Length-weight relationships and gonadosomatic index for sardine (*Sardina pilchardus*, Walbaum 1792) in the Thermaïkos Gulf. Proceedings of the 19th meeting of the Hellenic Society of Biological Sciences 19:444-445.
- Voulgaridou, P. and K.I. Stergiou. 1999. Aspects of biology of sardine, *Sardina pilchardus* (Walbaum 1792) in the Thermaïkos Gulf. Proceedings of the 8th International Congress on the Zoogeography and Ecology of Greece and Adjacent Regions, 8, 158 p.
- Wague, A. 1987. Biologie, écologie et dynamique de l'espèce *Serranus hepatus* (L. 1758) (Poisson, Serranidae) dans le golfe de Thermaïkos (Mer egée, Greece). Aristotle University of Thessaloniki, Greece 147 p. Ph.D. dissertation (in Hellenic, French abstract).
- Yannopoulos, C. 1977. The feeding niche of *Merluccius merluccius* and its influence of the length-weight relationship. *Rapports et Proces-Verbaux des Reunions Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee* 24:69-71.

K.I. STERGIU¹ and
D.K. MOUTOPOULOS are from the
Aristotle University of Thessaloniki,
Department of Biology, Section of Zoology,
Laboratory of Ichthyology, P.O. BOX 134,
Thessaloniki 54006, Greece (Hellas).
¹E.mail: kstergiou @ bio.auth.gr

Table 1. Parameters of the length-weight relationship $W=aL^b$ [weight (in g) and length (in cm)] of marine fish species from Greek marine waters. S= sex (M, male; F, female; C, combined). Year= year of sampling; Season = sampling season (JA, January; FE, February; MA, March; AP, April; MAY, May; JU, June; JL, July; AU, August; SE, September; OC, October; NO, November; DE, December; AUT, Autumn; WI, Winter; SP, Spring; SU, Summer; C, all seasons combined); FM= fishing method (T, trawl; P, purse seine; B, beach seine; G, gill nets; H, hooks); L= type of length (TL, total length; FL, fork length; SL, standard length); a= the intercept of the relationship provided by source; a' = the original standardized intercept corresponding to cm, g; b= the slope of the relationship $W=aL^b$; r²= coefficient of determination; n= the sample size; min and max are minimum and sample maximum lengths in cm Q= questionable records, deviated more than two SD from the regression line between log (a) and (b). Species are listed in alphabetical order.

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Aphanius fasciatus</i>	Rebakia	F	1990	JU	B	TL	0.00595	0.0163877	3.44	0.99	276	2.2	7	Leonardos et al. (1996) *
<i>Aphanius fasciatus</i>	Rebakia	M	1990	JU	B	TL	0.00648	0.0162777	3.4	0.99	185	2.4	6.8	Leonardos et al. (1996) *
<i>Aphanius fasciatus</i>	Rebakia	C	1990	JU	B	TL	0.00612	0.0160972	3.42	0.99	461	2.2	7	Leonardos et al. (1996) *
<i>Aphanius fasciatus</i>	Astrovitsa	F	1990	JU	B	TL	0.00826	0.0137082	3.22	0.97	137	2.8	7.2	Leonardos et al. (1996) *
<i>Aphanius fasciatus</i>	Astrovitsa	M	1990	JU	B	TL	0.00758	0.0137933	3.26	0.98	160	2.4	5	Leonardos et al. (1996) *
<i>Aphanius fasciatus</i>	Astrovitsa	C	1990	JU	B	TL	0.00753	0.0140215	3.27	0.99	296	2.4	7.2	Leonardos et al. (1996) *
<i>Aphanius fasciatus</i>	Alykes	F	1990	JU	B	TL	0.00538	0.0141508	3.42	0.98	118	2.4	6.2	Leonardos et al. (1996) *
<i>Aphanius fasciatus</i>	Alykes	M	1990	JU	B	TL	0.00849	0.0109372	3.11	0.95	102	2	6	Leonardos et al. (1996) *
<i>Aphanius fasciatus</i>	Alykes	C	1990	JU	B	TL	0.0069	0.0125559	3.26	0.97	220	2	6.2	Leonardos et al. (1996) *
<i>Aspitrigla cuculus</i>	G. Saronikos	M	1978	SU	T	FL	0.000014	0.0119159	2.93	0.99	104	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	M	1977	AUT	T	FL	0.000004	0.006325	3.199	0.992	54	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	M	1978	WI	T	FL	0.000007	0.0082622	3.072	0.989	111	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	M	1978	SP	T	FL	0.000005	0.0071774	3.157	0.993	90	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	F	1978	SU	T	FL	0.000017	0.0131356	2.888	0.986	106	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	F	1977	AUT	T	FL	0.000011	0.0106756	2.987	0.948	48	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	F	1978	WI	T	FL	0.000007	0.0086716	3.093	0.994	133	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	F	1978	SP	T	FL	0.000002	0.0040554	3.307	0.993	104	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	M ¹	1977-78	C	T	FL	0.000028	0.0162614	2.764	0.978	48	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	M ²	1977-78	C	T	FL	0.000004	0.0060403	3.179	0.981	311	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	F ³	1977-78	C	T	FL	0.000129	0.0349615	2.433	0.949	34	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	F ⁴	1977-78	C	T	FL	0.000004	0.0061103	3.184	0.974	357	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	F	1977-78	C	T	FL	0.000006	0.0078732	3.118	0.979	391	-	-	Papaconstantinou (1983)
<i>Aspitrigla cuculus</i>	G. Saronikos	M	1977-78	C	T	FL	0.000007	0.0085329	3.086	0.978	359	-	-	Papaconstantinou (1983)
<i>Boops boops</i>	Kyclades	C	1997-98	C	G/H	TL	0.01467	0.01467	2.877	0.91	122	14.5	28.1	Moutopoulos & Stergiou (2000) **
<i>Boops boops</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000012	0.0148656	3.093	0.94	256	9.6	24.3	Petrakis & Stergiou (1995)
<i>Bothus podas</i>	Kyclades	C	1997-98	C	G/H	TL	0.0169	0.0169	2.801	0.94	17	9.7	17.3	Moutopoulos & Stergiou (2000) **
<i>Cepola macrophthalma</i>	G. N. Evvoikos	M	1986-88	C	T	TL	0.0001386	0.0148855	2.031	0.92	1311	-	-	Stergiou (1991)
<i>Cepola macrophthalma</i>	G. N. Evvoikos	F	1986-88	C	T	TL	0.0001262	0.0153483	2.085	0.89	1073	-	-	Stergiou (1991)
<i>Cepola macrophthalma</i>	G. S. Evvoikos	M	1986-88	C	T	TL	0.0007704	0.0400605	1.716	0.75	452	-	-	Stergiou (1991)
<i>Cepola macrophthalma</i>	G. S. Evvoikos	F	1986-88	C	T	TL	0.0010563	0.0490667	1.667	0.75	515	-	-	Stergiou (1991)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	M	1986-87	AUT	T	TL	0.0002044	0.0196101	1.982	0.9	583	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1986-87	AUT	T	TL	0.0001965	0.0197407	2.002	0.88	550	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	M	1986-87	WI	T	TL	0.000134	0.0150697	2.051	0.95	242	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1986-87	WI	T	TL	0.0001179	0.0141747	2.08	0.9	378	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	M	1987-88	SP	T	TL	0.0001143	0.013184	2.062	0.93	255	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1987-88	SP	T	TL	0.0001261	0.0145116	2.061	0.87	266	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	M	1987-88	SU	T	TL	0.0001702	0.0175776	2.014	0.84	683	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1987-88	SU	T	TL	0.0001705	0.0183115	2.031	0.76	394	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	-	1986	AUT	T	TL	0.0002252	0.0206809	1.963	0.89	286	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	-	1986	WI	T	TL	0.0001418	0.0150895	2.027	0.95	102	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	-	1987	SP	T	TL	0.0000777	0.0104814	2.13	0.9	152	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	-	1987	SU	T	TL	0.0002882	0.0246998	1.933	0.84	353	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	-	1987	AUT	T	TL	0.0002121	0.0204428	1.984	0.9	297	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	-	1987	WI	T	TL	0.0001236	0.0142239	2.061	0.95	140	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	-	1988	SP	T	TL	0.000162	0.0161627	1.999	0.97	103	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	-	1988	SU	T	TL	0.0001993	0.0188151	1.975	0.83	330	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1986	AUT	T	TL	0.0001303	0.0152386	2.068	0.89	414	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1986	WI	T	TL	0.0001284	0.0148787	2.064	0.9	202	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1987	SP	T	TL	0.000202	0.0185503	1.963	0.85	160	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1987	SU	T	TL	0.0004263	0.0316749	1.871	0.71	251	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1987	AUT	T	TL	0.0002285	0.0225884	1.995	0.9	136	-	-	Stergiou (1993)

Table 1 (continued).

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1987	WI	T	TL	0.0001053	0.013287	2.101	0.9	176	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1988	SP	T	TL	0.0000449	0.0081893	2.261	0.93	106	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1988	SU	T	TL	0.0000472	0.0071635	2.181	0.78	143	-	-	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	C	1986	AUT	T	TL	0.0001739	0.0178361	2.011	0.89	700	10	52	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	C	1986	WI	T	TL	0.000013	0.0050654	2.59	0.92	304	8	50	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	C	1987	SP	T	TL	0.0001241	0.0138603	2.048	0.87	312	14	52	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	C	1987	SU	T	TL	0.0003764	0.0298298	1.899	0.8	604	14	57	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	C	1987	AUT	T	TL	0.0003204	0.0267727	1.922	0.9	433	10	56	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	C	1987	WI	T	TL	0.0001193	0.0141462	2.074	0.92	316	10	50	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	C	1988	SP	T	TL	0.0001182	0.0138553	2.069	0.93	209	12	52	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	C	1988	SU	T	TL	0.0002145	0.0199263	1.968	0.81	473	10	52	Stergiou (1993)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	M	1986-88	C	T	TL	0.000135	0.0151822	2.051	0.9	1763	10.4	58.7	Stergiou et al. (1992)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	F	1986-88	C	T	TL	0.0001451	0.016243	2.049	0.85	1588	11.8	51.3	Stergiou et al. (1992)
<i>Cepola macrophthalma</i>	G. Evvoikos ⁶	C	1986-88	C	T	TL	0.0001552	0.01663	2.03	0.87	3351	10.4	58.7	Stergiou et al. (1992)
<i>Cepola macrophthalma</i>	G. N. Evvoikos	C	1986-88	C	T	TL	0.000166	0.0176648	2.027	0.9	2384	10.4	58.7	Stergiou et al. (1992)
<i>Cepola macrophthalma</i>	G. S. Evvoikos	C	1986-88	C	T	TL	0.000947	0.0456405	1.683	0.75	967	11.8	51.3	Stergiou et al. (1992)
<i>Cepola macrophthalma</i> ⁷	G. N. Evvoikos ⁵	C	1994	MA	T	TL	0.0814	0.0814	2.163	0.94	49	16.3	62	Stergiou & Politou (1995) **
<i>Cepola macrophthalma</i> ⁷	G. N. Evvoikos ⁵	C	1993	OC	T	TL	0.098718	0.098718	1.765	0.9	256	9.5	51.6	Stergiou & Politou (1995) **
<i>Chelidonichthys lastoviza</i>	G. Saronikos	C	1978	C	T	FL	0.00001	0.011324	3.054	0.985	707	4.5	29.3	Papaconstantinou (1986)
<i>Chelidonichthys lastoviza</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000017	0.0151862	2.951	0.98	15	12.1	23.9	Petrakis & Stergiou (1995)
<i>Chelidonichthys lastoviza</i>	Kyclades	C	1997-98	C	G/H	TL	0.01452	0.01452	2.892	0.97	24	11.5	25.1	Moutopoulos & Stergiou (2000) **
<i>Chelon labrosus</i>	Lake Vistonis	C	1988-90	C	G/B	SL	0.0000159	0.0175549	3.043	0.99	928	1.36	33.3	Koutrakis & Sinis (1994)
<i>Chelon labrosus</i>	Lake Vistonis	C	1988-90	C	G/B	SL	0.0000022	0.0034661	3.207	0.97	614	1.36	4	Koutrakis & Sinis (1994)
<i>Chelon labrosus</i>	Lake Vistonis	C	1988-90	C	G/B	SL	0.0000095	0.0090307	2.978	0.99	315	4	33.3	Koutrakis & Sinis (1994)
<i>Chelon labrosus</i>	Lake Vistonis	M	1988-90	C	G/B	SL	0.0000197	0.0200201	3.007	0.988	30	-	-	Koutrakis & Sinis (1994)
<i>Chelon labrosus</i>	Lake Vistonis	F	1988-90	C	G/B	SL	0.0000178	0.0188114	3.024	0.972	51	-	-	Koutrakis & Sinis (1994)
<i>Chelon labrosus</i>	G. Saronikos	C	1986-87	C	T	SL	0.0000064	0.0094663	3.17	0.984	59	9	24.5	Velentzas (1992)
<i>Chromis chromis</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000383	0.0995861	2.415	0.94	42	4.5	10.9	Petrakis & Stergiou (1995)
<i>Citharus linguatula</i>	Kyclades	C	1997-98	C	G/H	TL	0.05767	0.05767	2.293	0.54	19	10.3	17.5	Moutopoulos & Stergiou (2000) **
<i>Citharus linguatula</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000009	0.0085554	2.978	0.98	22	12	23.1	Petrakis & Stergiou (1995)
<i>Citharus linguatula</i>	G. N. Evvoikos ⁵	C	1993	OC	T	TL	0.00074	0.00074	3.447	0.82	141	5.9	22	Stergiou & Politou (1995) **
<i>Citharus linguatula</i>	C. Aegean Sea	M	1990	C	T	TL	0.0000037	0.0048558	3.117	0.98	159	6.5	18.5	Vassilopoulou & Papaconstantinou (1994)
<i>Citharus linguatula</i>	C. Aegean Sea	F	1990	C	T	TL	0.0000039	0.0050409	3.109	0.97	239	6.3	23.9	Vassilopoulou & Papaconstantinou (1994)
<i>Citharus linguatula</i>	C. Aegean Sea	C	1990	C	T	TL	0.0000036	0.0047967	3.125	0.98	398	6.3	23.9	Vassilopoulou & Papaconstantinou (1994)
<i>Conger conger</i>	Kyclades	C	1997-98	AUT-WI	G/H	TL	0.0017	0.0017	2.98	0.811	39	28.5	90	Moutopoulos & Stergiou (1998) **
<i>Conger conger</i>	Kyclades	C	1997-98	C	G/H	TL	0.00054	0.00054	3.225	0.91	106	27.5	90	Moutopoulos & Stergiou (2000) **
<i>Coris julis</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000002	0.0047756	3.378	0.97	207	5.7	16.6	Petrakis & Stergiou (1995)
<i>Dentex dentex</i>	Kyclades	C	1997-98	C	G/H	TL	0.01474	0.01474	2.966	0.98	16	13.6	23.6	Moutopoulos & Stergiou (2000) **
<i>Dentex dentex</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000016	0.0170655	3.028	0.94	22	10.9	30	Petrakis & Stergiou (1995)
<i>Dicentrarchus labrax</i>	Etolikon Lagoons	C	1983-84	C	G/H	SL	0.01216	0.01216	3.076	0.99	160	-	-	Klaoudatos & Apostolopoulos (1986) **
<i>Diplodus annularis</i>	Kyclades	C	1997-98	AUT-WI	G/H	TL	0.0143	0.0143	3.049	0.976	54	11.1	25.3	Moutopoulos & Stergiou (1998) **
<i>Diplodus annularis</i>	Kyclades	C	1997-98	C	G/H	TL	0.01862	0.01862	2.951	0.94	284	11	25.3	Moutopoulos & Stergiou (2000) **
<i>Diplodus annularis</i>	Kyclades	C	1997-98	AUT	G/H	TL	0.01215	0.01215	3.129	0.92	45	11.1	16.5	Moutopoulos & Stergiou (2000) **
<i>Diplodus annularis</i>	Kyclades	C	1997-98	WI	G/H	TL	0.01477	0.01477	3.036	0.99	44	11.9	25.3	Moutopoulos & Stergiou (2000) **
<i>Diplodus annularis</i>	Kyclades	C	1998	SP	G/H	TL	0.0365	0.0365	2.695	0.87	92	11	19.8	Moutopoulos & Stergiou (2000) **
<i>Diplodus annularis</i>	Kyclades	C	1998	SU	G/H	TL	0.0131	0.0131	3.075	0.94	103	11.4	18.7	Moutopoulos & Stergiou (2000) **
<i>Diplodus annularis</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000023	0.0231062	3.002	0.87	313	6.5	13.5	Petrakis & Stergiou (1995)
<i>Diplodus sargus</i>	Kyclades	C	1997-98	C	G/H	TL	0.01382	0.01382	3.07	0.99	19	13.2	32.3	Moutopoulos & Stergiou (2000) **
<i>Diplodus vulgaris</i>	Kyclades	C	1997-98	AUT-WI	G/H	TL	0.0194	0.0194	2.93	0.933	29	13.2	29.6	Moutopoulos & Stergiou (1998) **
<i>Diplodus vulgaris</i>	Kyclades	C	1997-98	C	G/H	TL	0.01306	0.01306	3.055	0.98	122	11.6	29.6	Moutopoulos & Stergiou (2000) **
<i>Diplodus vulgaris</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000098	0.0502604	2.71	0.98	28	6.5	14.7	Petrakis & Stergiou (1995)
<i>Engraulis encrasicolus</i>	G. Thermaikos	C	1997-98	C	P	TL	0.001172	0.001172	3.63	0.96	900	7	15	Loukmidou (1998) **

Table 1 (continued).

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Engraulis encrasicolus</i>	G. Thermaikos	F	1997-98	C	P	TL	0.001419	0.001419	3.56	0.96	409	-	-	Loukmidou (1998) **
<i>Engraulis encrasicolus</i>	G. Thermaikos	M	1997-98	C	P	TL	0.001284	0.001284	3.59	0.91	472	-	-	Loukmidou (1998) **
<i>Engraulis encrasicolus</i>	G. Thermaikos	C	1997	JU-NO	P	TL	0.002	0.002	3.52	0.92	600	-	-	Loukmidou & Stergiou (1998) **
<i>Engraulis encrasicolus</i>	N. Aegean Sea	C	1995	JU	T	TL	0.00699	0.00699	2.95	-	-	-	-	Machias et al. (1997) **
<i>Eutrigla gurnardus</i>	G. Pagassitikos	M	1976-77	SP	T	FL	0.000012	0.0100735	2.924	0.94	107	12	23	Papaconstantinou (1982a)
<i>Eutrigla gurnardus</i>	G. Pagassitikos	M	1976-77	SU	T	FL	0.000027	0.0154655	2.758	0.99	33	8	21	Papaconstantinou (1982a)
<i>Eutrigla gurnardus</i>	G. Pagassitikos	M	1976	AUT	T	FL	0.000003	0.0047987	3.204	0.99	35	9	19	Papaconstantinou (1982a)
<i>Eutrigla gurnardus</i>	G. Pagassitikos	M	1977	WI	T	FL	0.000002	0.0036646	3.263	0.99	54	11	21	Papaconstantinou (1982a)
<i>Eutrigla gurnardus</i>	G. Pagassitikos	F	1976-77	SP	T	FL	0.000008	0.0085131	3.027	0.98	163	12	26	Papaconstantinou (1982a)
<i>Eutrigla gurnardus</i>	G. Pagassitikos	F	1976-77	SU	T	FL	0.000005	0.0061372	3.089	0.987	63	8	24	Papaconstantinou (1982a)
<i>Eutrigla gurnardus</i>	G. Pagassitikos	F	1976	AUT	T	FL	0.000004	0.0053711	3.128	0.99	48	10	24	Papaconstantinou (1982a)
<i>Eutrigla gurnardus</i>	G. Pagassitikos	F	1977	WI	T	FL	0.000002	0.0041403	3.316	0.99	82	11	27	Papaconstantinou (1982a)
<i>Lepidotrigla cavillone</i>	G. Pagassitikos	F	1976-77	MAY	T	FL	0.000015	0.0160728	3.03	0.978	49	9	14.5	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Pagassitikos	M	1976-77	JU	T	FL	0.000015	0.0133688	2.95	0.966	89	8	16	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Pagassitikos	M	1976-77	FE	T	FL	0.000004	0.0069193	3.238	0.992	72	6	16	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Pagassitikos	M	1976-77	MAY	T	FL	0.000025	0.0177394	2.851	0.963	28	9	14.5	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Saronikos	F	1976-78	JU	T	FL	0.000002	0.0048644	3.386	0.991	109	5	14.5	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Saronikos	F	1976-78	AU	T	FL	0.000005	0.0080162	3.205	0.988	80	5	14	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Saronikos	F	1976-78	NO	T	FL	0.000009	0.0109457	3.085	0.986	227	7	14	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Saronikos	F	1976-78	MA	T	FL	0.000006	0.0089568	3.174	0.985	78	6	15	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Saronikos	M	1976-78	JU	T	FL	0.000004	0.0071295	3.251	0.989	133	5	14.5	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Saronikos	M	1976-78	AU	T	FL	0.000005	0.0082219	3.216	0.994	93	5	14	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Saronikos	M	1976-78	NO	T	FL	0.000012	0.012479	3.017	0.987	247	7	14	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Saronikos	M	1976-78	MA	T	FL	0.000005	0.0081841	3.214	0.991	93	6	15	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Thermaikos	F	1976-77	JL	T	FL	0.000006	0.0279352	2.668	0.954	114	6	13.5	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Thermaikos	F	1976-77	OC	T	FL	0.000789	0.1101735	2.145	0.915	16	8	12.5	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Thermaikos	F	1976-77	FE	T	FL	0.000004	0.0074827	3.272	0.995	64	5	13	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Thermaikos	F	1976-77	AP	T	FL	0.000003	0.0060691	3.306	0.935	194	5.5	13.5	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Thermaikos	M	1976-77	JL	T	FL	0.000011	0.011545	3.021	0.964	93	6	13.5	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Thermaikos	M	1976-77	OC	T	FL	0.000002	0.004897	3.389	0.938	18	8	12.5	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Thermaikos	M	1976-77	FE	T	FL	0.000005	0.0078157	3.194	0.994	68	5	13	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. Thermaikos	M	1976-77	AP	T	FL	0.000012	0.0125366	3.019	0.883	193	5.5	13.5	Papaconstantinou (1982b)
<i>Lepidotrigla cavillone</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000049	0.0269275	2.74	0.91	16	8.8	14.5	Petrakis & Stergiou (1995)
<i>Liza aurata</i>	G. Saronikos	C	1986-87	C	T	SL	0.0000046	0.0078119	3.23	0.761	38	15.5	21	Velentzas (1992)
<i>Liza ramada</i>	Lake Vistonis	C	1988-90	C	G/B	SL	0.0000172	0.0177226	3.013	0.99	662	1.5	39.5	Koutrakis & Sinis (1994)
<i>Liza ramada</i>	Lake Vistonis	C	1988-90	C	G/B	SL	0.0000081	0.0142064	3.244	0.99	286	1.5	4	Koutrakis & Sinis (1994)
<i>Liza ramada</i>	Lake Vistonis	C	1988-90	C	G/B	SL	0.0000234	0.0208073	2.949	0.99	375	4	39.5	Koutrakis & Sinis (1994)
<i>Liza ramada</i>	Lake Vistonis	M	1988-90	C	G/B	SL	0.0000077	0.0110278	3.156	0.96	55	-	-	Koutrakis & Sinis (1994)
<i>Liza ramada</i>	Lake Vistonis	F	1988-90	C	G/B	SL	0.0000041	0.0076346	3.27	0.987	63	-	-	Koutrakis & Sinis (1994)
<i>Liza saliens</i>	Lake Vistonis	C	1988-90	C	G/B	SL	0.0000129	0.014608	3.054	0.99	870	0.9	27.4	Koutrakis & Sinis (1994)
<i>Liza saliens</i>	Lake Vistonis	C	1988-90	C	G/B	SL	0.000007	0.0124767	3.251	0.984	500	0.9	4	Koutrakis & Sinis (1994)
<i>Liza saliens</i>	Lake Vistonis	C	1988-90	C	G/B	SL	0.00002	0.0183244	2.962	0.99	369	4	27.4	Koutrakis & Sinis (1994)
<i>Liza saliens</i>	Lake Vistonis	M	1988-90	C	G/B	SL	0.0000156	0.0157806	3.005	0.97	80	-	-	Koutrakis & Sinis (1994)
<i>Liza saliens</i>	Lake Vistonis	F	1988-90	C	G/B	SL	0.000019	0.0178959	2.974	0.989	143	-	-	Koutrakis & Sinis (1994)
<i>Lophius budegassa</i>	G. N. Evvoikos ⁵	C	1994	MA	T	TL	0.0305	0.0305	2.85	0.99	38	5.9	57.4	Stergiou & Politou (1995) **
<i>Lophius budegassa</i>	G. N. Evvoikos ⁵	C	1993	OC	T	TL	0.03045	0.03045	2.889	0.88	117	13.3	53	Stergiou & Politou (1995) **
<i>Lophius budegassa</i>	G. Saronikos	M	1975-77	WI	T	TL	0.000017	0.0148405	2.941	0.99	179	-	-	Tsimenides & Ondrias (1980)
<i>Lophius budegassa</i>	G. Saronikos	F	1975-77	WI	T	TL	0.000019	0.0163966	2.936	0.99	173	-	-	Tsimenides & Ondrias (1980)
<i>Lophius budegassa</i>	G. Saronikos	M	1975-77	SP	T	TL	0.000017	0.0147045	2.937	0.99	97	-	-	Tsimenides & Ondrias (1980)
<i>Lophius budegassa</i>	G. Saronikos	F	1975-77	SP	T	TL	0.00001	0.0108893	3.037	0.99	100	-	-	Tsimenides & Ondrias (1980)
<i>Lophius budegassa</i>	G. Saronikos	M	1975-77	SU	T	TL	0.000013	0.0126457	2.988	0.99	129	-	-	Tsimenides & Ondrias (1980)
<i>Lophius budegassa</i>	G. Saronikos	F	1975-77	SU	T	TL	0.000007	0.0090177	3.11	0.99	113	-	-	Tsimenides & Ondrias (1980)
<i>Lophius budegassa</i>	G. Saronikos	M	1975-77	AUT	T	TL	0.000011	0.0113342	3.013	0.99	114	-	-	Tsimenides & Ondrias (1980)
<i>Lophius budegassa</i>	G. Saronikos	F	1975-77	AUT	T	TL	0.000006	0.0081124	3.131	0.99	120	-	-	Tsimenides & Ondrias (1980)
<i>Lophius budegassa</i>	G. Saronikos	M	1975-77	C	T	TL	0.000011	0.0114391	3.017	0.97	345	6	48	Tsimenides & Ondrias (1980)

Table 1 (continued).

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Lophius budegassa</i>	G. Saronikos	F	1975-77	C	T	TL	0.000013	0.01303	3.001	0.987	358	6	64	Tsimerides & Ondrias (1980)
<i>Lophius piscatorius</i>	Aegean Sea	M	1976-79	C	T	TL	0.000024	0.0189326	2.897	0.99	133	-	-	Tsimerides & Ondrias (1980)
<i>Lophius piscatorius</i>	Aegean Sea	F	1976-79	C	T	TL	0.000036	0.025486	2.85	0.99	128	-	-	Tsimerides & Ondrias (1980)
<i>Merlangius merlangus euxinus</i>	Thermaikos/ Thracian Sea	F	1992-93	C	T	TL	0.0000036	0.0051204	3.153	0.96	248	-	-	Papaconstantinou et al. (1994)
<i>Merlangius merlangus euxinus</i>	Thermaikos/ Thracian Sea	M	1992-93	C	T	TL	0.0000055	0.0065518	3.076	0.94	213	-	-	Papaconstantinou et al. (1994)
<i>Merlangius merlangus euxinus</i>	Thermaikos/ Thracian Sea	C	1992-93	C	T	TL	0.0000043	0.0056555	3.119	0.95	569	9	37	Papaconstantinou et al. (1994)
<i>Merluccius merluccius</i>	-	-	1993	-	-	TL	0.0039158	0.0039158	3.17	0.99	36	22	54	Lazaris (1995) **
<i>Merluccius merluccius</i>	Kyclades	C	1997-98	AUT-WI	G/H	TL	0.0018	0.0018	3.408	0.928	29	20.4	37.9	Moutopoulos & Stergiou (1998) **
<i>Merluccius merluccius</i>	Kyclades	C	1997-98	C	G/H	TL	0.00362	0.00362	3.2	0.95	152	18	50.2	Moutopoulos & Stergiou (2000) **
<i>Merluccius merluccius</i>	Ionian Sea	C	1983-85	C	T	TL	0.0000019	0.0032565	3.234	0.933	1542	4	48	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	Ionian Sea	C	1983	JU	T	TL	0.000001	0.0019724	3.295	0.886	197	6	38	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	Ionian Sea	C	1983	SE	T	TL	0.000001	0.0019498	3.29	0.925	341	6	38	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	Ionian Sea	C	1983	NO	T	TL	0.000001	0.0021135	3.325	0.962	117	10	30	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	Ionian Sea	C	1984	MA	T	TL	0.000001	0.0020989	3.322	0.973	96	8	48	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	Ionian Sea	C	1984	JU	T	TL	0.000004	0.0050589	3.102	0.934	264	4	40	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	Ionian Sea	C	1984	SE	T	TL	0.000002	0.0035484	3.249	0.967	147	6	30	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	Ionian Sea	C	1984	DE	T	TL	0.000008	0.0076752	2.982	0.985	77	4	40	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	Ionian Sea	C	1985	MA	T	TL	0.000002	0.0033809	3.228	0.94	303	8	42	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Korinthiakos	C	1983-85	C	T	TL	0.0000024	0.0037776	3.197	0.969	983	10	36	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Korinthiakos	C	1983	JU	T	TL	0.000005	0.0057673	3.062	0.965	88	10	36	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Korinthiakos	C	1983	SE	T	TL	0.000002	0.0033345	3.222	0.951	188	14	28	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Korinthiakos	C	1983	NO	T	TL	0.000002	0.0034122	3.232	0.976	106	16	36	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Korinthiakos	C	1984	MA	T	TL	0.000011	0.0092553	2.925	0.991	142	18	30	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Korinthiakos	C	1984	JU	T	TL	0.000003	0.0045198	3.178	0.989	67	20	36	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Korinthiakos	C	1984	SE	T	TL	0.000002	0.0036394	3.26	0.959	108	12	22	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Korinthiakos	C	1984	DE	T	TL	0.000002	0.0038373	3.283	0.968	194	14	22	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Korinthiakos	C	1985	MA	T	TL	0.000003	0.0042572	3.152	0.98	90	16	22	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Patraikos	C	1983-85	C	T	TL	0.000002	0.0033965	3.23	0.937	2313	6	34	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Patraikos	C	1983	JU	T	TL	0.000001	0.0023823	3.377	0.887	264	6	30	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Patraikos	C	1983	SE	T	TL	0.000003	0.0044068	3.167	0.933	719	8	30	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Patraikos	C	1983	NO	T	TL	0.000003	0.0042768	3.154	0.976	150	10	34	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i> ⁷	G. Patraikos	C	1984	MA	T	TL	0.000009	0.0132814	3.169	0.968	228	10	30	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Patraikos	C	1984	JU	T	TL	0.000007	0.0070485	3.003	0.99	78	6	30	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Patraikos	C	1984	SE	T	TL	0.000001	0.0019543	3.291	0.921	397	8	28	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Patraikos	C	1984	DE	T	TL	0.000003	0.0045407	3.18	0.968	195	10	34	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Patraikos	C	1985	MA	T	TL	0.000003	0.004267	3.153	0.968	281	10	28	Papaconstantinou et al. (1988a)
<i>Merluccius merluccius</i>	G. Evvoikos ⁶	C	1986-88	C	T	FL	0.000002	0.0032887	3.216	0.953	633	5	56	Papaconstantinou et al. (1989)
<i>Merluccius merluccius</i>	G. S. Evvoikos	C	1986-88	C	T	FL	0.000004	0.0052127	3.115	0.99	40	10	18	Papaconstantinou et al. (1989)
<i>Merluccius merluccius</i>	N. Evvoikos Gulf	C	1986-88	C	T	FL	0.000003	0.0045302	3.179	0.945	389	5	52	Papaconstantinou et al. (1989)
<i>Merluccius merluccius</i>	G. Pagassitikos	C	1986-88	C	T	FL	0.000002	0.0032287	3.208	0.959	712	6	40	Papaconstantinou et al. (1989)
<i>Merluccius merluccius</i>	G. S. Evvoikos	C	1989	C	T	TL	0.000004	0.0052127	3.115	0.99	40	-	-	Papaconstantinou et al. (1989)
<i>Merluccius merluccius</i>	G. Petalion	C	1986-88	C	T	FL	0.000002	0.0038109	3.28	0.947	284	4	46	Papaconstantinou et al. (1989)
<i>Merluccius merluccius</i>	Aegean Sea	C	1990	JU	T	TL	0.000003	0.0043263	3.159	0.96	-	-	-	Papaconstantinou et al. (1992b)
<i>Merluccius merluccius</i>	Aegean Sea	C	1990	SE	T	TL	0.000002	0.0030341	3.181	0.98	-	-	-	Papaconstantinou et al. (1992b)
<i>Merluccius merluccius</i>	Aegean Sea	C	1990	DE	T	TL	0.000004	0.004776	3.077	0.96	-	-	-	Papaconstantinou et al. (1992b)
<i>Merluccius merluccius</i>	Aegean Sea	C	1991	MA	T	TL	0.000006	0.0062973	3.021	0.88	-	-	-	Papaconstantinou et al. (1992b)
<i>Merluccius merluccius</i>	C. Aegean Sea	C	1993	JU	T	TL	0.000003	0.0043263	3.159	0.98	443	-	-	Papaconstantinou et al. (1993)
<i>Merluccius merluccius</i>	C. Aegean Sea	C	1993	SE	T	TL	0.000002	0.0030341	3.181	0.99	360	-	-	Papaconstantinou et al. (1993)
<i>Merluccius merluccius</i>	C. Aegean Sea	C	1993	DE	T	TL	0.000004	0.0057685	3.159	0.96	674	-	-	Papaconstantinou et al. (1993)
<i>Merluccius merluccius</i>	C. Aegean Sea	C	1993	MA	T	TL	0.000006	0.0062973	3.021	0.88	337	-	-	Papaconstantinou et al. (1993)
<i>Merluccius merluccius</i>	C. Aegean Sea	F	1991	C	T	TL	0.000005	0.0059837	3.078	0.9	573	-	-	Papaconstantinou et al. (1993)
<i>Merluccius merluccius</i>	C. Aegean Sea	M	1991	C	T	TL	0.000003	0.0040006	3.125	0.92	582	-	-	Papaconstantinou et al. (1993)

Table 1 (continued).

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Merluccius merluccius</i>	C. Aegean Sea	C	1991	C	T	TL	0.000004	0.0051649	3.111	0.95	1724	5.2	92	Papaconstantinou et al. (1993)
<i>Merluccius merluccius</i>	C. Aegean Sea	F	1992	C	T	TL	0.000003	0.0042768	3.154	0.97	566	-	-	Papaconstantinou et al. (1993)
<i>Merluccius merluccius</i>	C. Aegean Sea	M	1992	C	T	TL	0.000006	0.0062252	3.016	0.9	727	-	-	Papaconstantinou et al. (1993)
<i>Merluccius merluccius</i>	C. Aegean Sea	C	1992	C	T	TL	0.000004	0.0053218	3.124	0.95	1385	-	-	Papaconstantinou et al. (1993)
<i>Merluccius merluccius</i>	N. Aegean Sea	F	1992-93	C	T	TL	0.0000032	0.0045515	3.153	0.93	1006	-	-	Papaconstantinou et al. (1994)
<i>Merluccius merluccius</i>	N. Aegean Sea	M	1992-93	C	T	TL	0.0000038	0.0050094	3.12	0.94	884	-	-	Papaconstantinou et al. (1994)
<i>Merluccius merluccius</i>	N. Aegean Sea	C	1992-93	C	T	TL	0.0000032	0.0045515	3.153	0.95	2381	5	57	Papaconstantinou et al. (1994)
<i>Merluccius merluccius</i>	G. Saronikos	F	1976	SE	T	TL	0.000002	0.0034122	3.232	-	376	4	44	Tsimenides et al. (1978)
<i>Merluccius merluccius</i>	G. Saronikos	M	1976	SE	T	TL	0.000003	0.0044887	3.175	-	272	4	44	Tsimenides et al. (1978)
<i>Merluccius merluccius</i>	G. Thermaikos	F	1976	OC	T	TL	0.000001	0.0020941	3.321	-	202	8	50	Tsimenides et al. (1978)
<i>Merluccius merluccius</i>	G. Thermaikos	M	1976	OC	T	TL	0.000002	0.0037156	3.269	-	138	8	50	Tsimenides et al. (1978)
<i>Merluccius merluccius</i>	Hellenic Seas	C	1977	C	T	TL	0.0041	0.0041	3.153	0.95	504	-	-	Yannopoulos (1977) **
<i>Micromesistius poutassou</i>	G. N. Evvoikos	C	1986-87	C	T	TL	0.000002	0.0032586	3.212	0.99	4452	10	3-	Papaconstantinou & Petrakis (1989)
<i>Micromesistius poutassou</i>	G. Korinthiakos	C	1984-85	C	T	FL	0.000007	0.007449	3.027	0.928	277	-	-	Papaconstantinou et al. (1988a)
<i>Micromesistius poutassou</i>	G. Korinthiakos	C	1984	DE	T	FL	0.000022	0.0141717	2.809	0.843	58	-	-	Papaconstantinou et al. (1988a)
<i>Micromesistius poutassou</i>	G. Korinthiakos	C	1985	MA	T	FL	0.0000004	0.0013616	3.532	0.802	115	-	-	Papaconstantinou et al. (1988a)
<i>Micromesistius poutassou</i>	G. Korinthiakos	C	1985	JU	T	FL	0.000001	0.009247	2.966	0.817	53	-	-	Papaconstantinou et al. (1988a)
<i>Micromesistius poutassou</i>	G. Patraikos	C	1984-85	C	T	FL	0.000006	0.0065036	3.035	0.956	477	-	-	Papaconstantinou et al. (1988a)
<i>Micromesistius poutassou</i>	G. Patraikos	C	1984	SE	T	FL	0.000005	0.0054824	3.04	0.98	150	-	-	Papaconstantinou et al. (1988a)
<i>Micromesistius poutassou</i>	G. Patraikos	C	1984	DE	T	FL	0.000006	0.0069687	3.065	0.975	193	-	-	Papaconstantinou et al. (1988a)
<i>Micromesistius poutassou</i>	G. Patraikos	C	1985	MA	T	FL	0.000007	0.0069839	2.999	0.994	104	-	-	Papaconstantinou et al. (1988a)
<i>Micromesistius poutassou</i>	G. Patraikos	C	1985	JU	T	FL	0.000003	0.004267	3.153	0.986	122	-	-	Papaconstantinou et al. (1988a)
<i>Micromesistius poutassou</i>	G. Evvoikos ⁶	C	1986-88	AUT-WI	T	FL	0.000001	0.0021135	3.325	0.97	355	11	29	Papaconstantinou et al. (1989)
<i>Micromesistius poutassou</i>	G. Evvoikos ⁶	C	1986-88	WI	T	FL	0.0000006	0.0017789	3.472	0.98	604	13	30	Papaconstantinou et al. (1989)
<i>Micromesistius poutassou</i>	G. Evvoikos ⁶	C	1986-88	SP	T	FL	0.000018	0.0115684	2.808	0.99	520	7	30	Papaconstantinou et al. (1989)
<i>Micromesistius poutassou</i>	G. Evvoikos ⁶	C	1986-88	SU	T	FL	0.0000056	0.0059867	3.029	0.97	486	10	32	Papaconstantinou et al. (1989)
<i>Micromesistius poutassou</i>	C. Aegean Sea	C	1991	SU	T	TL	0.0000022	0.0036511	3.22	0.98	87	21	38	Papaconstantinou et al. (1993)
<i>Micromesistius poutassou</i>	C. Aegean Sea	C	1991	SU	T	TL	0.0000074	0.0070669	2.98	0.93	642	10	27	Papaconstantinou et al. (1993)
<i>Micromesistius poutassou</i>	C. Aegean Sea	C	1992	SP	T	TL	0.000023	0.0132351	2.76	0.95	97	18	34	Papaconstantinou et al. (1993)
<i>Micromesistius poutassou</i>	C. Aegean Sea	C	1992	SP	T	TL	0.000016	0.0103305	2.81	0.89	751	17	30	Papaconstantinou et al. (1993)
<i>Micromesistius poutassou</i> ⁷	G. N. Evvoikos ⁵	C	1993	OC	T	TL	0.00194	0.00194	3.223	0.94	263	12.3	25.4	Stergiou & Politou (1995) **
<i>Mullus barbatus</i>	Kyclades	C	1997-98	C	G/H	TL	0.01772	0.01772	2.832	0.75	15	19.1	29	Moutopoulos & Stergiou (2000) **
<i>Mullus barbatus</i>	G. Saronikos	M	1976	MA	T	FL	0.000015	0.015104	3.003	0.935	178	9	17	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Saronikos	M	1976	JU	T	FL	0.000037	0.0241103	2.814	0.901	48	10	17	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Saronikos	M	1976	SE	T	FL	0.000005	0.0099763	3.3	0.99	50	5	21	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Saronikos	M	1976	DE	T	FL	0.000005	0.0087492	3.243	0.956	150	8	17	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Saronikos	F	1976	MA	T	FL	0.000005	0.0084522	3.228	0.964	190	9	20	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Saronikos	F	1976	JU	T	FL	0.000015	0.0150692	3.002	0.952	55	9	19	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Saronikos	F	1976	SE	T	FL	0.000003	0.0064435	3.332	0.985	53	11	21	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Saronikos	F	1976	DE	T	FL	0.000016	0.0164104	3.011	0.963	144	8	19	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Thermaikos	M	1976-77	AP	T	FL	0.000007	0.0100253	3.156	0.926	87	9	17	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Thermaikos	M	1976-77	JL	T	FL	0.000173	0.0524863	2.482	0.805	119	10	16	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Thermaikos	M	1976-77	OC	T	FL	0.000007	0.0104496	3.174	0.942	352	9	18	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Thermaikos	M	1976-77	FE	T	FL	0.000005	0.0084912	3.23	0.959	92	10	18	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Thermaikos	F	1976-77	AP	T	FL	0.000002	0.0058483	3.466	0.959	142	9	22	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Thermaikos	F	1976-77	JL	T	FL	0.000016	0.0152447	2.979	0.913	58	10	21	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Thermaikos	F	1976-77	OC	T	FL	0.000012	0.0139053	3.064	0.933	185	7	20	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	G. Thermaikos	F	1976-77	FE	T	FL	0.000008	0.0113003	3.15	0.879	172	8	19	Papaconstantinou et al. (1981)
<i>Mullus barbatus</i>	Ionian Sea	C	1983-85	C	T	FL	0.000005	0.0077978	3.193	0.975	1647	6	21	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	Ionian Sea	C	1983	JU	T	FL	0.0000102	0.0110306	3.034	0.983	206	11	16	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	Ionian Sea	C	1983	SE	T	FL	0.0000059	0.0089919	3.183	0.991	243	10	16	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	Ionian Sea	C	1983	NO	T	FL	0.0000024	0.0057307	3.378	0.965	217	8	17	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	Ionian Sea	C	1984	MA	T	FL	0.0000029	0.0063738	3.342	0.987	119	9	20	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	Ionian Sea	C	1984	JU	T	FL	0.0000076	0.0098586	3.113	0.99	153	9	18	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	Ionian Sea	C	1984	SE	T	FL	0.0000066	0.0093874	3.153	0.99	94	10	21	Papaconstantinou et al. (1988a)

Table 1 (continued).

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Mullus barbatus</i>	Ionian Sea	C	1984	DE	T	FL	0.000002	0.0051526	3.411	0.94	275	6	21	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	Ionian Sea	C	1985	MA	T	FL	0.000005	0.0080532	3.207	0.98	340	9	22	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Korinthiakos	C	1983-85	C	T	FL	0.000003	0.0059173	3.295	0.978	994	6	19	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Korinthiakos	C	1983	JU	T	FL	0.0000109	0.0116527	3.029	0.984	206	8	19	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Korinthiakos	C	1983	SE	T	FL	0.0000011	0.0037618	3.534	0.982	196	9	19	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Korinthiakos	C	1983	NO	T	FL	0.0000035	0.0067619	3.286	0.958	111	6	15	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Korinthiakos	C	1984	MA	T	FL	0.000003	0.0065482	3.339	0.98	124	70	17	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Korinthiakos	C	1984	JU	T	FL	0.0000014	0.0040656	3.463	0.986	83	10	18	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Korinthiakos	C	1984	SE	T	FL	0.0000132	0.0141115	3.029	0.997	58	12	15	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Korinthiakos	C	1984	DE	T	FL	0.000002	0.0042759	3.33	0.988	61	9	16	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Korinthiakos	C	1985	MA	T	FL	0.000012	0.0132185	3.042	0.978	155	7	14	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Patraikos	C	1983-85	C	T	FL	0.000005	0.0082788	3.219	0.971	1277	5	19	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Patraikos	C	1983	JU	T	FL	0.000009	0.0105498	3.069	0.982	220	9	17	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Patraikos	C	1983	SE	T	FL	0.0000031	0.0065067	3.322	0.948	255	6	18	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Patraikos	C	1983	NO	T	FL	0.0000025	0.0059148	3.374	0.957	30	8	15	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Patraikos	C	1984	MA	T	FL	0.0001892	0.0583339	2.489	0.991	87	11	18	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Patraikos	C	1984	JU	T	FL	0.0000012	0.0036828	3.487	0.988	80	10	17	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Patraikos	C	1984	SE	T	FL	0.0000005	0.0025467	3.707	0.982	190	6	16	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Patraikos	C	1984	DE	T	FL	0.000003	0.0063113	3.323	0.963	293	7	17	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	G. Patraikos	C	1985	MA	T	FL	0.000006	0.0094005	3.195	0.979	122	8	19	Papaconstantinou et al. (1988a)
<i>Mullus barbatus</i>	C. Aegean Sea	M	1991	C	T	FL	0.0000067	0.0098418	3.167	0.91	745	-	-	Papaconstantinou et al. (1993)
<i>Mullus barbatus</i>	C. Aegean Sea	F	1991	C	T	FL	0.0000056	0.0089989	3.206	0.93	723	-	-	Papaconstantinou et al. (1993)
<i>Mullus barbatus</i>	C. Aegean Sea	C	1991	C	T	FL	0.0000064	0.0096645	3.179	0.94	1836	6	20	Papaconstantinou et al. (1993)
<i>Mullus barbatus</i>	C. Aegean Sea	M	1992	C	T	FL	0.0000096	0.0118924	3.093	0.87	490	-	-	Papaconstantinou et al. (1993)
<i>Mullus barbatus</i>	C. Aegean Sea	F	1992	C	T	FL	0.0000111	0.0129516	3.067	0.95	629	-	-	Papaconstantinou et al. (1993)
<i>Mullus barbatus</i>	C. Aegean Sea	C	1992	C	T	FL	0.000007	0.0100948	3.159	0.93	1253	4	21	Papaconstantinou et al. (1993)
<i>Mullus barbatus</i>	N. Aegean Sea	M	1992-93	C	T	TL	0.0000196	0.0174283	2.949	0.89	900	-	-	Papaconstantinou et al. (1994)
<i>Mullus barbatus</i>	N. Aegean Sea	F	1992-93	C	T	TL	0.0000145	0.014975	3.014	0.93	1019	-	-	Papaconstantinou et al. (1994)
<i>Mullus barbatus</i>	N. Aegean Sea	C	1992-93	C	T	TL	0.0000159	0.015718	2.995	0.93	2206	5	24	Papaconstantinou et al. (1994)
<i>Mullus barbatus</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000012	0.0145942	3.085	0.87	597	9.6	20.8	Petrakis & Stergiou (1995)
<i>Mullus barbatus</i>	C. Aegean Sea	C	1990-91	C	T	TL	0.0000064	0.0096645	3.179	0.99	1836	6	23	Vassilopoulou & Papaconstantinou (1992a)
<i>Mullus barbatus</i>	C. Aegean Sea	C	1990	JU	T	TL	0.0000119	0.0131688	3.044	0.96	610	9.8	17.5	Vassilopoulou & Papaconstantinou (1992a)
<i>Mullus barbatus</i>	C. Aegean Sea	C	1990	SE	T	TL	0.0000077	0.010678	3.142	0.92	316	6.5	19.5	Vassilopoulou & Papaconstantinou (1992a)
<i>Mullus barbatus</i>	C. Aegean Sea	C	1990	DE	T	TL	0.0000074	0.0105982	3.156	0.98	472	7.5	17.5	Vassilopoulou & Papaconstantinou (1992a)
<i>Mullus barbatus</i>	C. Aegean Sea	C	1991	MA	T	TL	0.0000038	0.0073754	3.288	0.99	438	7.5	17.5	Vassilopoulou & Papaconstantinou (1992a)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	F	1986-87	C	T	FL	0.000004	0.0076218	3.28	0.97	-	6	22	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	M	1986-87	C	T	FL	0.000005	0.0084912	3.23	0.97	-	6	22	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	C	1986-87	C	T	FL	0.000005	0.008689	3.24	0.94	3086	6	22	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	F	1987-88	C	T	FL	0.000006	0.0099575	3.22	0.97	-	7	22	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	M	1987-88	C	T	FL	0.00001	0.0128825	3.11	0.97	-	7	22	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	C	1987-88	C	T	FL	0.000008	0.0118329	3.17	0.97	2416	7	22	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	C	1986	SE	T	FL	0.000005	0.0088302	3.247	0.97	853	7	20	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	C	1986	DE	T	FL	0.000006	0.0099575	3.22	0.96	339	7	22	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	C	1987	MAY	T	FL	0.000003	0.0073641	3.39	0.96	752	7	23	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	C	1987	JU	T	FL	0.000003	0.0061252	3.31	0.96	774	9	21	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	C	1987	SE	T	FL	0.00001	0.0123027	3.09	0.95	568	9	20	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	C	1987	DE	T	FL	0.000008	0.0118329	3.17	0.95	770	7	20	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	C	1988	MA	T	FL	0.000004	0.007981	3.3	0.96	582	6	20	Papaconstantinou et al. (1989)
<i>Mullus barbatus</i>	G. Evvoikos ⁶	C	1988	JU	T	FL	0.00001	0.0131826	3.12	0.94	496	8	22	Papaconstantinou et al. (1989)
<i>Mullus surmuletus</i>	Kyclades	C	1997-98	AUT-WI	G/H	TL	0.0176	0.0176	2.9	0.92	42	14	32	Moutopoulos & Stergiou (1998) **

Table 1 (continued).

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Mullus surmuletus</i>	Kyclades	C	1997-98	C	G/H	TL	0.01404	0.01404	2.954	0.94	257	13.8	32	Moutopoulos & Stergiou (2000) **
<i>Mullus surmuletus</i>	C. Aegean Sea	M	1991	C	T	FL	0.0000051	0.0087412	3.234	0.93	172	-	-	Papaconstantinou et al. (1993)
<i>Mullus surmuletus</i>	C. Aegean Sea	F	1991	C	T	FL	0.0000056	0.0094883	3.229	0.98	98	-	-	Papaconstantinou et al. (1993)
<i>Mullus surmuletus</i>	C. Aegean Sea	C	1991	C	T	FL	0.0000042	0.0081517	3.288	0.97	330	8.4	24.4	Papaconstantinou et al. (1993)
<i>Mullus surmuletus</i>	C. Aegean Sea	M	1992	C	T	FL	0.0000268	0.0214356	2.903	0.89	222	-	-	Papaconstantinou et al. (1993)
<i>Mullus surmuletus</i>	C. Aegean Sea	F	1992	C	T	FL	0.0000132	0.0147766	3.049	0.96	149	-	-	Papaconstantinou et al. (1993)
<i>Mullus surmuletus</i>	C. Aegean Sea	C	1992	C	T	FL	0.0000138	0.0150272	3.037	0.94	390	7.4	24.4	Papaconstantinou et al. (1993)
<i>Mullus surmuletus</i>	N. Aegean Sea	C	1992-93	C	T	FL	0.0000082	0.0115562	3.149	0.96	292	7	24	Papaconstantinou et al. (1994)
<i>Mullus surmuletus</i>	C. Aegean Sea	M	1990-91	C	T	TL	0.0000051	0.0090993	3.254	0.97	451	10	20	Vassilopoulou & Papaconstantinou (1992b)
<i>Mullus surmuletus</i>	C. Aegean Sea	F	1990-91	C	T	TL	0.0000056	0.0094713	3.229	0.99	336	9	26	Vassilopoulou & Papaconstantinou (1992b)
<i>Mullus surmuletus</i>	C. Aegean Sea	M	1990	JU	T	TL	0.0000137	0.0154071	3.051	-	69	11.6	18.6	Vassilopoulou & Papaconstantinou (1992b)
<i>Mullus surmuletus</i>	C. Aegean Sea	M	1990	SE	T	TL	0.0011811	0.1734949	2.167	-	8	12.6	18.6	Vassilopoulou & Papaconstantinou (1992b)
<i>Mullus surmuletus</i>	C. Aegean Sea	M	1990	DE	T	TL	0.0000053	0.0094032	3.249	-	63	10.6	21.6	Vassilopoulou & Papaconstantinou (1992b)
<i>Mullus surmuletus</i>	C. Aegean Sea	M	1991	MA	T	TL	0.0000236	0.0205075	2.939	-	32	12.6	18.6	Vassilopoulou & Papaconstantinou (1992b)
<i>Mullus surmuletus</i>	C. Aegean Sea	F	1990	JU	T	TL	0.0000135	0.0151822	3.051	-	38	11.6	18.6	Vassilopoulou & Papaconstantinou (1992b)
<i>Mullus surmuletus</i>	C. Aegean Sea	F	1990	SE	T	TL	0.0000082	0.0117981	3.158	-	3	13.6	23.6	Vassilopoulou & Papaconstantinou (1992b)
<i>Mullus surmuletus</i>	C. Aegean Sea	F	1990	DE	T	TL	0.0000092	0.0126121	3.137	-	36	9.6	24.6	Vassilopoulou & Papaconstantinou (1992b)
<i>Mullus surmuletus</i>	C. Aegean Sea	F	1991	MA	T	TL	0.0000017	0.004994	3.468	-	21	10.6	24.6	Vassilopoulou & Papaconstantinou
<i>Mullus surmuletus</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000009	0.0124235	3.14	0.97	307	10.1	20.1	Petrakis & Stergiou (1995)
<i>Oblada melanura</i>	Kyclades	C	1997-98	C	G/H	TL	0.02185	0.02185	2.831	0.96	90	14.2	28.9	Moutopoulos & Stergiou (2000) **
<i>Pagellus acarne</i>	Kyclades	C	1997-98	C	G/H	TL	0.01501	0.01501	2.933	0.97	96	15.3	62.6	Moutopoulos & Stergiou (2000) **
<i>Pagellus acarne</i>	G. Evvoikos ⁶	C	1986-87	C	T	FL	0.000003	0.0067939	3.355	0.99	1075	8	22	Papaconstantinou et al. (1989)
<i>Pagellus acarne</i>	G. Evvoikos ⁶	C	1987-88	C	T	FL	0.000003	0.0071965	3.38	0.98	1428	7	25	Papaconstantinou et al. (1989)
<i>Pagellus acarne</i>	G. Evvoikos ⁶	M	1986-87	C	T	FL	0.000003	0.0067162	3.35	0.99	-	8	22	Papaconstantinou et al. (1989)
<i>Pagellus acarne</i>	G. Evvoikos ⁶	M	1987-88	C	T	FL	0.000001	0.0032211	3.508	0.98	-	8	22	Papaconstantinou et al. (1989)
<i>Pagellus acarne</i>	G. Evvoikos ⁶	F	1986-87	C	T	FL	0.00001	0.0153109	3.185	0.99	-	10	25	Papaconstantinou et al. (1989)
<i>Pagellus acarne</i>	G. Evvoikos ⁶	F	1987-88	C	T	FL	0.000003	0.0066393	3.345	0.99	-	10	25	Papaconstantinou et al. (1989)
<i>Pagellus acarne</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000005	0.0093534	3.272	0.94	138	9.9	18.3	Petrakis & Stergiou (1995)
<i>Pagellus bogaraveo</i>	N. Aegean Sea	C	1992-93	C	T	FL	0.0000251	0.0211677	2.926	0.92	694	7	17.5	Papaconstantinou et al. (1994)
<i>Pagellus erythrinus</i>	Kyclades	C	1997-98	AUT-WI	G/H	TL	0.0209	0.0209	2.814	0.984	170	14.1	37.6	Moutopoulos & Stergiou (1998) **
<i>Pagellus erythrinus</i>	Kyclades	C	1997-98	C	G/H	TL	0.0231	0.0231	2.778	0.97	685	13.1	37.6	Moutopoulos & Stergiou (2000) **
<i>Pagellus erythrinus</i>	Kyclades	C	1997-98	AUT	G/H	TL	0.02442	0.02442	2.762	0.97	124	14.1	33.3	Moutopoulos & Stergiou (2000) **
<i>Pagellus erythrinus</i>	Kyclades	C	1997-98	WI	G/H	TL	0.01779	0.01779	2.86	0.99	106	14.7	37.6	Moutopoulos & Stergiou (2000) **
<i>Pagellus erythrinus</i>	Kyclades	C	1998	SP	G/H	TL	0.02809	0.02809	2.715	0.96	205	14.6	34.2	Moutopoulos & Stergiou (2000) **
<i>Pagellus erythrinus</i>	Kyclades	C	1998	SU	G/H	TL	0.02402	0.02402	2.761	0.96	250	13.1	31.7	Moutopoulos & Stergiou (2000) **
<i>Pagellus erythrinus</i>	G. Evvoikos ⁶	C	1986-87	C	T	TL	0.0000151	0.01671	3.044	0.98	914	4.2	43	Mytilineou (1988)
<i>Pagellus erythrinus</i>	G. Evvoikos ⁶	M	1986-87	C	T	TL	0.0000116	0.0144696	3.096	0.99	146	-	-	Mytilineou (1988)
<i>Pagellus erythrinus</i>	G. Evvoikos ⁶	F	1986-87	C	T	TL	0.0000135	0.0158246	3.069	0.99	768	-	-	Mytilineou (1988)
<i>Pagellus erythrinus</i>	G. Pagassitikos	F	1977-78	C	T	FL	0.000012	0.0146616	3.087	0.97	494	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Pagassitikos	F	1977-78	SP	T	FL	0.000004	0.0079079	3.296	0.988	141	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Pagassitikos	F	1977-78	SU	T	FL	0.000015	0.0170644	3.056	0.978	158	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Pagassitikos	F	1977-78	AUT	T	FL	0.000083	0.0423719	2.708	0.945	118	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Pagassitikos	F	1977-78	WI	T	FL	0.000008	0.0116437	3.163	0.988	77	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Pagassitikos	M	1977-78	C	T	FL	0.000007	0.0107176	3.185	0.985	58	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Pagassitikos	M	1977-78	SP	T	FL	0.000007	0.0109169	3.193	0.996	22	-	-	Papaconstantinou (1984a)

Table 1 (continued).

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Pagellus erythrinus</i>	G. Pagassitikos	M	1977-78	SU	T	FL	0.000012	0.0144272	3.08	0.996	13	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Pagassitikos	M	1977-78	AUT	T	FL	0.000001	0.0033037	3.519	0.938	21	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Saronikos	F	1977-78	C	T	FL	0.000046	0.0305322	2.822	0.955	673	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Saronikos	F	1977-78	SP	T	FL	0.000012	0.0148314	3.092	0.991	292	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Saronikos	F	1977-78	SU	T	FL	0.000008	0.0123052	3.187	0.994	106	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Saronikos	F	1977-78	AUT	T	FL	0.000017	0.0178012	3.02	0.989	253	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Saronikos	F	1977-78	WI	T	FL	0.000015	0.0171432	3.058	0.992	178	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Saronikos	M	1977-78	C	T	FL	0.000017	0.0179659	3.024	0.99	222	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Saronikos	M	1977-78	SP	T	FL	0.000018	0.0188918	3.021	0.986	65	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Saronikos	M	1977-78	SU	T	FL	0.000001	0.0134276	3.128	0.997	30	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Saronikos	M	1977-78	AUT	T	FL	0.000027	0.0228751	2.928	0.989	85	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Saronikos	M	1977-78	WI	T	FL	0.000011	0.0142362	3.112	0.991	42	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Thermaikos	F	1977-78	C	T	FL	0.000013	0.0156655	3.081	0.989	624	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Thermaikos	F	1977-78	SP	T	FL	0.000001	0.0136144	3.134	0.993	208	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Thermaikos	F	1977-78	SU	T	FL	0.000003	0.0244411	2.911	0.964	122	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Thermaikos	F	1977-78	AUT	T	FL	0.000036	0.0273088	2.88	0.972	134	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Thermaikos	F	1977-78	WI	T	FL	0.000016	0.0175033	3.039	0.991	160	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Thermaikos	M	1977-78	C	T	FL	0.000018	0.0185043	3.012	0.974	57	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Thermaikos	M	1977-78	SP	T	FL	0.000021	0.0197342	2.973	0.995	9	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Thermaikos	M	1977-78	SU	T	FL	0.000047	0.0311242	2.821	0.928	15	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Thermaikos	M	1977-78	AUT	T	FL	0.000014	0.0162978	3.066	0.965	12	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	G. Thermaikos	M	1977-78	WI	T	FL	0.000053	0.0344569	2.813	0.955	21	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	Thracian Sea	F	1977-78	C	T	FL	0.000004	0.028778	2.857	0.973	365	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	Thracian Sea	F	1977-78	SP	T	FL	0.000021	0.0202404	2.984	0.967	99	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	Thracian Sea	F	1977-78	SU	T	FL	0.000031	0.0251398	2.909	0.973	55	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	Thracian Sea	F	1977-78	AUT	T	FL	0.000047	0.0316299	2.828	0.979	147	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	Thracian Sea	F	1977-78	WI	T	FL	0.000023	0.0216136	2.973	0.99	64	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	Thracian Sea	M	1977-78	C	T	FL	0.000035	0.0265502	2.88	0.945	48	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	Thracian Sea	M	1977-78	SP	T	FL	0.000021	0.0204277	2.988	0.995	18	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	Thracian Sea	M	1977-78	SU	T	FL	0.000025	0.0223326	2.951	0.985	9	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	Thracian Sea	M	1977-78	AUT	T	FL	0.000129	0.0541489	2.623	0.747	18	-	-	Papaconstantinou (1984a)
<i>Pagellus erythrinus</i>	Ionian Sea	M	1983-85	C	T	TL	0.000025	0.0213767	2.932	0.976	109	6	26	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	F	1983-85	C	T	FL	0.000014	0.0154216	3.042	0.987	820	6	26	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	M	1983	JU	T	FL	0.00008	0.0390023	2.688	0.97	32	5	21	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	F	1983	JU	T	FL	0.00001	0.0128825	3.11	0.985	228	5	21	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	M	1983	SE	T	FL	0.000006	0.0103789	3.238	0.988	14	9	21	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	F	1983	SE	T	FL	0.000007	0.0111455	3.202	0.991	73	9	21	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	F	1983	NO	T	FL	0.000006	0.0099118	3.218	0.988	92	4	23	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	M	1984	MA	T	FL	0.000082	0.0414776	2.704	0.972	10	5	26	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	F	1984	MA	T	FL	0.000021	0.0190204	2.957	0.981	66	5	26	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	M	1984	JU	T	FL	0.000013	0.0153795	3.073	0.992	10	5	25	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	F	1984	JU	T	FL	0.000043	0.0282793	2.818	0.991	97	5	25	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	M	1984	SE	T	FL	0.000005	0.0088505	3.248	0.987	25	-	-	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	F	1984	SE	T	FL	0.000012	0.0140663	3.069	0.99	43	-	-	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	F	1984	DE	T	FL	0.000031	0.0241191	2.891	0.995	82	4	20	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	M	1985	MA	T	FL	0.000015	0.016147	3.032	0.993	12	6	24	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	Ionian Sea	F	1985	MA	T	FL	0.0000293	0.0237612	2.909	0.986	139	6	24	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Korinthiakos	M	1983-85	C	T	FL	0.000011	0.0139763	3.104	0.986	23	9	27	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Korinthiakos	F	1983-85	C	T	FL	0.000368	0.0985934	2.428	0.989	189	9	27	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i> ⁷	G. Korinthiakos	M	1983	JU	T	FL	0.000001	0.0023933	3.379	0.985	7	9	19	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Korinthiakos	F	1983	JU	T	FL	0.000018	0.018805	3.019	0.994	42	9	19	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Korinthiakos	F	1983	SE	T	FL	0.000001	0.0136773	3.136	0.996	34	13	21	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i> ⁷	G. Korinthiakos	M	1983	NO	T	FL	0.000002	0.0276077	3.14	0.98	7	12	16	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Korinthiakos	F	1984	MA	T	FL	0.000034	0.0276362	2.91	0.976	14	11	12	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Korinthiakos	F	1984	JU	T	FL	0.000028	0.0233431	2.921	0.985	14	10	16	Papaconstantinou et al. (1988a)

Table 1 (continued).

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Pagellus erythrinus</i>	G. Korinthiakos	F	1985	MA	T	FL	0.000016	0.0177468	3.045	0.991	44	14	21	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	M	1983-85	C	T	FL	0.000013	0.0145527	3.049	0.978	73	7	25	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	F	1983-85	C	T	FL	0.000002	0.0187945	2.973	0.988	443	7	25	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	M	1983	JU	T	FL	0.000003	0.0062247	3.317	0.974	27	8	22	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	F	1983	JU	T	FL	0.000023	0.0194414	2.927	0.985	153	8	22	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	M	1983	SE	T	FL	0.000038	0.0272762	2.856	0.99	26	4	18	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	F	1983	SE	T	FL	0.000008	0.0119149	3.173	0.993	112	4	18	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	F	1983	NO	T	FL	0.000002	0.0193656	2.986	0.989	7	5	21	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	F	1984	MA	T	FL	0.000005	0.009375	3.273	0.972	25	8	14	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	F	1984	JU	T	FL	0.000011	0.0140408	3.106	0.995	22	6	19	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	M	1984	SE	T	FL	0.000011	0.0135954	3.092	0.979	10	9	19	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	F	1984	SE	T	FL	0.000008	0.0114312	3.155	0.995	37	9	19	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	F	1984	DE	T	FL	0.000036	0.0264425	2.866	0.992	45	6	16	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	G. Patraikos	F	1985	MA	T	FL	0.000008	0.0120251	3.177	0.984	42	4	19	Papaconstantinou et al. (1988a)
<i>Pagellus erythrinus</i>	W. Greece	M	1983-85	C	T	FL	0.000016	0.0169481	3.025	0.975	220	4.3	32.2	Papaconstantinou et al. (1988c)
<i>Pagellus erythrinus</i>	W. Greece	F	1983-85	C	T	FL	0.000002	0.0190559	2.979	0.984	1572	4.3	32.2	Papaconstantinou et al. (1988c)
<i>Pagellus erythrinus</i>	W. Greece	M	1983-85	SP	T	FL	0.000036	0.0273088	2.88	0.995	34	7.8	27.2	Papaconstantinou et al. (1988c)
<i>Pagellus erythrinus</i>	W. Greece	M	1983-85	SU	T	FL	0.000016	0.0167541	3.02	0.977	77	5.7	26.8	Papaconstantinou et al. (1988c)
<i>Pagellus erythrinus</i>	W. Greece	M	1983-85	AUT	T	FL	0.000007	0.0110943	3.2	0.983	85	13	23.5	Papaconstantinou et al. (1988c)
<i>Pagellus erythrinus</i>	W. Greece	M	1983-85	WI	T	FL	0.000009	0.0121407	3.13	0.997	15	9.5	22	Papaconstantinou et al. (1988c)
<i>Pagellus erythrinus</i>	W. Greece	F	1983-85	SP	T	FL	0.000011	0.0141707	3.11	0.985	105	7.3	32.2	Papaconstantinou et al. (1988c)
<i>Pagellus erythrinus</i>	W. Greece	F	1983-85	SU	T	FL	0.000012	0.0140988	3.07	0.966	420	8	30.3	Papaconstantinou et al. (1988c)
<i>Pagellus erythrinus</i>	W. Greece	F	1983-85	AUT	T	FL	0.000007	0.0108417	3.19	0.986	220	8.7	21.6	Papaconstantinou et al. (1988c)
<i>Pagellus erythrinus</i>	W. Greece	F	1983-85	WI	T	FL	0.000007	0.0103538	3.17	0.982	140	9	21.7	Papaconstantinou et al. (1988c)
<i>Pagellus erythrinus</i>	W. Greece	F	1983-85	WI	T	FL	0.000006	0.0099575	3.22	0.99	27	13	22.8	Papaconstantinou et al. (1988c)
<i>Pagellus erythrinus</i> ⁷	G. Evvoikos ⁶	C	1986-88	C	T	FL	0.0000014	0.0056251	3.604	0.99	2663	4	43	Papaconstantinou et al. (1989)
<i>Pagellus erythrinus</i>	G. Evvoikos ⁶	C	1986-87	C	T	FL	0.000014	0.0160372	3.059	0.99	1217	4	32	Papaconstantinou et al. (1989)
<i>Pagellus erythrinus</i>	G. Evvoikos ⁶	C	1987-88	C	T	FL	0.000013	0.0152737	3.07	0.98	1446	6	32	Papaconstantinou et al. (1989)
<i>Pagellus erythrinus</i>	G. Evvoikos ⁶	M	1986-88	C	T	FL	0.000001	0.0130617	3.116	0.99	294	10	36	Papaconstantinou et al. (1989)
<i>Pagellus erythrinus</i>	G. Evvoikos ⁶	F	1986-88	C	T	FL	0.000014	0.0158536	3.054	0.98	1669	4	43	Papaconstantinou et al. (1989)
<i>Pagellus erythrinus</i>	C. Aegean Sea	C	1991	C	T	FL	0.0000415	0.0285133	2.837	0.95	526	5	27	Papaconstantinou et al. (1993)
<i>Pagellus erythrinus</i>	C. Aegean Sea	C	1992	C	T	FL	0.0000227	0.0207504	2.961	0.95	307	4	23	Papaconstantinou et al. (1993)
<i>Pagellus erythrinus</i>	N. Aegean Sea	F	1992-93	C	T	FL	0.0000842	0.0433823	2.712	0.91	56	-	-	Papaconstantinou et al. (1994)
<i>Pagellus erythrinus</i>	N. Aegean Sea	M	1992-93	C	T	FL	0.0000166	0.0176648	3.027	0.95	385	-	-	Papaconstantinou et al. (1994)
<i>Pagellus erythrinus</i>	N. Aegean Sea	C	1992-93	C	T	FL	0.0000251	0.0221143	2.945	0.95	461	7	26	Papaconstantinou et al. (1994)
<i>Pagellus erythrinus</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000017	0.0181321	3.028	0.98	292	9.7	29.3	Petrakis & Stergiou (1995)
<i>Pagellus erythrinus</i>	G. Saronikos	M	-	C	T	FL	0.000018	0.0182504	3.006	0.96	216	7	33	Vassilopoulou & Papaconstantinou (1990)
<i>Pagellus erythrinus</i>	G. Saronikos	F	-	C	T	FL	0.000013	0.0155218	3.077	0.98	833	5	27	Vassilopoulou & Papaconstantinou (1990)
<i>Pagellus erythrinus</i>	G. Saronikos	M	-	AUT	T	FL	0.000029	0.0233023	2.905	0.92	86	-	-	Vassilopoulou & Papaconstantinou (1990)
<i>Pagellus erythrinus</i>	G. Saronikos	F	-	AUT	T	FL	0.000016	0.0173828	3.036	0.98	258	-	-	Vassilopoulou & Papaconstantinou (1990)
<i>Pagellus erythrinus</i>	G. Saronikos	M	-	WI	T	FL	0.000012	0.0145942	3.085	0.99	43	-	-	Vassilopoulou & Papaconstantinou (1990)
<i>Pagellus erythrinus</i>	G. Saronikos	F	-	WI	T	FL	0.000011	0.0142034	3.111	0.98	184	-	-	Vassilopoulou & Papaconstantinou (1990)
<i>Pagellus erythrinus</i>	G. Saronikos	M	-	SP	T	FL	0.000018	0.018979	3.023	0.96	62	-	-	Vassilopoulou & Papaconstantinou (1990)
<i>Pagellus erythrinus</i>	G. Saronikos	F	-	SP	T	FL	0.000012	0.015388	3.108	0.98	296	-	-	Vassilopoulou & Papaconstantinou (1990)
<i>Pagellus erythrinus</i>	G. Saronikos	M	-	SU	T	FL	0.000008	0.0118875	3.172	0.99	31	-	-	Vassilopoulou & Papaconstantinou (1990)

Table 1 (continued).

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Pagellus erythrinus</i>	G. Saronikos	F	-	SU	T	FL	0.000009	0.0126836	3.149	0.99	95	-	-	Vassilopoulou & Papaconstantinou (1990)
<i>Pagellus erythrinus</i>	Ionian Sea	C	1975-76	C	T	FL	0.0000257	0.0218742	2.93	0.92	1311	4	24	Vassilopoulou et al. (1986)
<i>Pagellus erythrinus</i>	G. Saronikos	C	1975-76	C	T	FL	0.000027	0.0229807	2.93	0.97	709	4	24	Vassilopoulou et al. (1986)
<i>Pagrus pagrus</i>	Kyclades	C	1997-98	C	G/H	TL	0.0152	0.0152	3.005	0.98	35	13	51.7	Moutopoulos & Stergiou (2000) **
<i>Pagrus pagrus</i>	Kastellorizo Island	F	1985-86	AP	G/H	FL	0.0000246	0.02404	2.99	0.99	40	10	40	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	C	1985-86	AP	G/H	FL	0.000024	0.024559	3.01	0.99	40	10	40	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	F	1985-86	JU	G/H	FL	0.000015	0.0176235	3.07	0.99	-	-	-	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	M	1985-86	JU	G/H	FL	0.00106	0.1928883	2.26	0.96	-	-	-	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	C	1985-86	JU	G/H	FL	0.0000162	0.0186001	3.06	0.98	38	14	36	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	F	1985-86	OC	G/H	FL	0.0000214	0.0218985	3.01	0.99	-	-	-	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	M	1985-86	OC	G/H	FL	0.0000273	0.0254778	2.97	0.98	-	-	-	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	C	1985-86	OC	G/H	FL	0.000036	0.0299435	2.92	0.99	13	18	30	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	F	1985-86	MA	G/H	FL	0.0000181	0.0193945	3.03	0.98	-	-	-	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	M	1985-86	MA	G/H	FL	0.0000369	0.0299934	2.91	0.99	-	-	-	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	C	1985-86	MA	G/H	FL	0.0000267	0.0243507	2.96	0.99	32	18	48	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	F	1985-86	JL	G/H	FL	0.0000088	0.0126765	3.16	0.97	19	20	36	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	C	1985-86	JL	G/H	FL	0.000006	0.0097795	3.21	0.96	19	20	36	Papaconstantinou et al. (1988b)
<i>Pagrus pagrus</i>	Kastellorizo Island	M	1985-86	C	T	FL	0.0000343	0.0285295	2.92	0.99	23	13.3	41.8	Vassilopoulou (1989)
<i>Pagrus pagrus</i>	Kastellorizo Island	F	1985-86	C	T	FL	0.0000193	0.0202096	3.02	0.98	95	13.3	41.8	Vassilopoulou (1989)
<i>Pagrus pagrus</i>	Kastellorizo Island	C	1985-86	C	T	FL	0.0000241	0.0230153	2.98	0.98	142	13.3	41.8	Vassilopoulou (1989)
<i>Pagrus pagrus</i>	Kastellorizo Island	F	1985-86	C	G/H	FL	0.000033	0.0279585	2.928	0.98	-	10	46	Vassilopoulou & Papaconstantinou (1992c)
<i>Pagrus pagrus</i>	Kastellorizo Island	M	1985-86	C	G/H	FL	0.00004	0.0315544	2.897	0.99	-	10	46	Vassilopoulou & Papaconstantinou (1992c)
<i>Phycis blennoides</i>	C. Aegean Sea	C	1991	C	T	TL	0.000002	0.0034596	3.238	0.97	505	6.4	50	Papaconstantinou et al. (1993)
<i>Phycis blennoides</i>	C. Aegean Sea	C	1992	C	T	TL	0.0000026	0.0040736	3.195	0.97	532	6.4	46.4	Papaconstantinou et al. (1993)
<i>Phycis phycis</i>	Kastellorizo Island	C	1985-86	C	G/H	TL	0.00001	0.0100231	3.001	-	270	18	52	Papaconstantinou et al. (1988b)
<i>Raja miraletus</i>	Kyclades	C	1997-98	C	G/H	TL	0.00246	0.00246	3.291	0.94	16	25.6	49.3	Moutopoulos & Stergiou (2000) **
<i>Raja radula</i>	Kyclades	C	1997-98	C	G/H	TL	0.00515	0.00515	3.07	0.98	25	20.4	68.2	Moutopoulos & Stergiou (2000) **
<i>Sardina pilchardus</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000033	0.018729	2.754	0.82	82	11.8	17.2	Petrakis & Stergiou (1995)
<i>Sardina pilchardus</i>	G. Thermaikos	C	1996-97	C	P	TL	0.005918	0.005918	3.112	0.8	1000	8.9	20.3	Voulgaridou (1997) **
<i>Sardina pilchardus</i>	G. Thermaikos	M	1996-97	C	P	TL	0.003515	0.003515	3.301	0.73	344	-	-	Voulgaridou (1997) **
<i>Sardina pilchardus</i>	G. Thermaikos	F	1996-97	C	P	TL	0.005756	0.005756	3.12	0.9	467	-	-	Voulgaridou (1997) **
<i>Sardina pilchardus</i>	G. Thermaikos	C	1996-97	C	P	TL	0.005918	0.005918	3.11	0.8	1000	8.9	20.3	Voulgaridou (1997) **
<i>Sardina pilchardus</i>	G. Thermaikos	C	1996	JU-DE	B	TL	0.0071	0.0071	3.06	0.87	650	-	-	Voulgaridou & Stergiou (1997) **
<i>Sardina pilchardus</i>	G. Thermaikos	C	1996-98	C	B	TL	0.006876	0.006876	3.05	0.85	2500	-	-	Voulgaridou & Stergiou (1999) **
<i>Sardinella aurita</i>	Kyclades	C	1997-98	C	G/H	TL	0.01571	0.01571	2.804	0.86	18	23.2	29	Moutopoulos & Stergiou (2000) **
<i>Sardinella aurita</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000026	0.0179876	2.84	0.89	24	16.2	22	Petrakis & Stergiou (1995)
<i>Sarpa salpa</i>	Kyclades	C	1997-98	C	G/H	TL	0.01445	0.01445	2.946	0.98	48	14.9	25.1	Moutopoulos & Stergiou (2000) **
<i>Scomber japonicus</i>	Kyclades	C	1997-98	C	G/H	TL	0.00085	0.00085	3.704	0.94	46	22.9	33	Moutopoulos & Stergiou (2000) **
<i>Scomber japonicus</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000013	0.0120488	2.967	0.97	57	18.7	29.6	Petrakis & Stergiou (1995)
<i>Scomber scombrus</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000002	0.0044569	3.348	0.95	24	16.7	29	Petrakis & Stergiou (1995)
<i>Scorpaena notata</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000073	0.0389334	2.727	0.97	15	9.6	20.6	Petrakis & Stergiou (1995)
<i>Scorpaena porcus</i>	Kyclades	C	1997-98	C	G/H	TL	0.02356	0.02356	2.887	0.95	231	11.5	40.5	Moutopoulos & Stergiou (2000) **
<i>Scorpaena porcus</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000042	0.0290569	2.84	0.97	100	7	23.5	Petrakis & Stergiou (1995)
<i>Scorpaena scrofa</i>	Kyclades	C	1997-98	C	G/H	TL	0.01692	0.01692	2.999	0.98	37	10.7	32.2	Moutopoulos & Stergiou (2000) **
<i>Serranus cabrilla</i>	Kyclades	C	1997-98	AUT-WI	G/H	TL	0.0107	0.0107	3.001	0.949	148	10.4	21.9	Moutopoulos & Stergiou (1998) **
<i>Serranus cabrilla</i>	Kyclades	C	1997-98	C	G/H	TL	0.01867	0.01867	2.805	0.93	466	9.5	25.1	Moutopoulos & Stergiou (2000) **
<i>Serranus cabrilla</i>	Kyclades	C	1997-98	AUT	G/H	TL	0.01262	0.01262	2.955	0.97	121	10.7	24.3	Moutopoulos & Stergiou (2000) **
<i>Serranus cabrilla</i>	Kyclades	C	1997-98	WI	G/H	TL	0.01352	0.01352	2.914	0.92	99	10.4	21.9	Moutopoulos & Stergiou (2000) **
<i>Serranus cabrilla</i>	Kyclades	C	1998	SP	G/H	TL	0.03258	0.03258	2.601	0.88	84	11.2	25.1	Moutopoulos & Stergiou (2000) **
<i>Serranus cabrilla</i>	Kyclades	C	1998	SU	G/H	TL	0.02074	0.02074	2.767	0.93	162	9.5	24.3	Moutopoulos & Stergiou (2000) **
<i>Serranus cabrilla</i>	N. Aegean Sea	C	1992-93	C	T	FL	0.0000521	0.0276591	2.725	0.9	665	9.6	25.8	Papaconstantinou et al. (1994)
<i>Serranus cabrilla</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000022	0.0185961	2.927	0.96	54	7.7	18.2	Petrakis & Stergiou (1995)

Table 1 (continued).

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Serranus hepatus</i>	G. Thermaikos	C	1990-93	C	T	TL	0.00228	0.1769843	1.89	0.74	1290	5	12.7	Wague (1997)
<i>Serranus scriba</i>	Kyclades	C	1997-98	C	G/H	TL	0.0095	0.0095	3.122	0.92	75	11.5	24.1	Moutopoulos & Stergiou (2000) **
<i>Serranus scriba</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000022	0.0184681	2.924	0.98	70	5.8	17.8	Petrakis & Stergiou (1995)
<i>Siganus luridus</i>	Kastellorizo Island	M	1985-86	C	G/H	TL	0.000058	0.0335296	2.762	-	166	14	28	Papaconstantinou et al. (1988b)
<i>Siganus luridus</i>	Kastellorizo Island	F	1985-86	C	G/H	TL	0.000013	0.0142542	3.04	-	118	14	28	Papaconstantinou et al. (1988b)
<i>Sparisoma cretense</i>	Kyclades	C	1997-98	C	G/H	TL	0.00568	0.00568	3.311	0.98	22	20.1	35	Moutopoulos & Stergiou (2000) **
<i>Sparisoma cretense</i>	Kastellorizo Island	C	1985-86	C	T	TL	0.00001	0.011272	3.052	0.985	372	10	32.5	Petrakis & Papaconstantinou (1990)
<i>Sparus aurata</i>	Etolikon Lagoons	C	1983-84	C	G/H	SL	0.02263	0.02263	3.032	0.98	240	-	-	Klaoudatos & Apostolopoulos (1986) **.
<i>Sphyræna sphyraena</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.00031	0.0647682	2.32	0.96	22	33.5	49.8	Petrakis & Stergiou (1995)
<i>Spicara flexuosa</i>	G. Patraikos	F	1984-85	WI	T	FL	0.0000075	0.0098606	3.12	0.95	212	6.5	15.5	Mytilineou & Papaconstantinou (1991)
<i>Spicara flexuosa</i>	G. Patraikos	M	1984-85	WI	T	FL	0.0000034	0.0065905	3.29	0.97	131	7.5	15	Mytilineou & Papaconstantinou (1991)
<i>Spicara flexuosa</i>	G. Patraikos	F	1984-85	SP	T	FL	0.0000373	0.022999	2.79	0.94	516	7	12.5	Mytilineou & Papaconstantinou (1991)
<i>Spicara flexuosa</i>	G. Patraikos	M	1984-85	SP	T	FL	0.0000063	0.0092592	3.17	0.98	176	8	15.5	Mytilineou & Papaconstantinou (1991)
<i>Spicara flexuosa</i>	G. Patraikos	F	1984-85	SU	T	FL	0.0000112	0.0122806	3.04	0.96	230	7	13.5	Mytilineou & Papaconstantinou (1991)
<i>Spicara flexuosa</i>	G. Patraikos	M	1984-85	SU	T	FL	0.0000128	0.0137154	3.03	0.97	243	7.5	15.5	Mytilineou & Papaconstantinou (1991)
<i>Spicara flexuosa</i>	G. Patraikos	F	1984-85	AUT	T	FL	0.0000379	0.022837	2.78	0.93	108	7	14	Mytilineou & Papaconstantinou (1991)
<i>Spicara flexuosa</i>	G. Patraikos	M	1984-85	AUT	T	FL	0.000025	0.0189644	2.88	0.94	45	9	14.5	Mytilineou & Papaconstantinou (1991)
<i>Spicara flexuosa</i>	G. Patraikos	F	1984-85	C	T	FL	0.0000114	0.0124999	3.04	0.95	628	7	15.5	Mytilineou & Papaconstantinou (1991)
<i>Spicara flexuosa</i>	G. Patraikos	M	1984-85	C	T	FL	0.0000084	0.0108712	3.112	0.96	359	7.5	15.5	Mytilineou & Papaconstantinou (1991)
<i>Spicara flexuosa</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000002	0.0048981	3.389	0.97	441	11.9	17.7	Petrakis & Stergiou (1995)
<i>Spicara maena</i>	Kyclades	C	1997-98	C	G/H	TL	0.0104	0.0104	3.096	0.88	808	14.3	26	Moutopoulos & Stergiou (2000) **
<i>Spicara maena</i>	Kyclades	C	1998	SP	G/H	TL	0.0089	0.0089	3.155	0.89	721	14.3	23.5	Moutopoulos & Stergiou (2000) **
<i>Spicara maena</i>	Kyclades	C	1998	SU	G/H	TL	0.03562	0.03562	2.627	0.67	61	15.5	21	Moutopoulos & Stergiou (2000) **
<i>Spicara maena</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000083	0.0382013	2.663	0.9	33	11.7	18.4	Petrakis & Stergiou (1995)
<i>Spicara smarís</i>	G. Saronikos	C	1986	AUT-SP	T	TL	0.0000413	0.020704	2.7	-	-	10.8	20.3	Tsangridis & Filipoussis (1989)
<i>Spicara smarís</i>	G. Saronikos	M	1986	AUT-SP	T	TL	0.0000277	0.0167475	2.781	-	-	-	-	Tsangridis & Filipoussis (1989)
<i>Spicara smarís</i>	G. Saronikos	F	1986	AUT-SP	T	TL	0.0000222	0.0148856	2.827	-	-	-	-	Tsangridis & Filipoussis (1989)
<i>Spicara smarís</i>	Crete Island	C	1988-91	C	T	TL	0.0000046	0.0074166	3.212	0.985	7302	6	18.5	Vidalis (1994)
<i>Spicara smarís</i>	Crete Island	M	1988-91	C	T	TL	0.0000055	0.0080791	3.167	0.953	1493	8	18.5	Vidalis (1994)
<i>Spicara smarís</i>	Crete Island	F	1988-91	C	T	TL	0.0000039	0.0068875	3.247	0.985	5809	6	17	Vidalis (1994)
<i>Spicara smarís</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000013	0.0126166	2.987	0.97	123	7.7	18.5	Petrakis & Stergiou (1995)
<i>Spondyliosoma cantharus</i>	Kyclades	C	1997-98	C	G/H	TL	0.01772	0.01772	2.951	0.97	53	12.6	39.6	Moutopoulos & Stergiou (2000) **
<i>Spondyliosoma cantharus</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000048	0.0339032	2.849	0.99	48	7.4	15.8	Petrakis & Stergiou (1995)
<i>Symphodus cinereus</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000001	0.0033189	3.521	0.91	48	5.4	8.8	Petrakis & Stergiou (1995)
<i>Symphodus mediterraneus</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000014	0.0143922	3.012	0.94	19	6.3	13.6	Petrakis & Stergiou (1995)
<i>Symphodus ocellatus</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000005	0.0083171	3.221	0.96	31	4.4	9.9	Petrakis & Stergiou (1995)
<i>Symphodus rostratus</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000001	0.003062	3.486	0.94	70	8	12	Petrakis & Stergiou (1995)
<i>Symphodus tinca</i>	Kyclades	C	1997-98	C	G/H	TL	0.02782	0.02782	2.733	0.91	132	14.7	23.7	Moutopoulos & Stergiou (2000) **
<i>Symphodus tinca</i>	G. S. Evvoikos	C	1992-93	C	B	TL	0.000011	0.0128645	3.068	0.97	31	12.7	20.8	Petrakis & Stergiou (1995)
<i>Symphurus ligulatus</i>	G. N. Evvoikos ⁵	C	1993	OC	T	TL	0.00296	0.00296	3.194	0.61	73	6.3	10.8	Stergiou & Politou (1995) **
<i>Synodus saurus</i>	Kyclades	C	1997-98	C	G/H	TL	0.02	0.02	2.715	0.95	25	16	39.6	Moutopoulos & Stergiou (2000) **
<i>Thunnus alalunga</i>	Hellenic Seas	C	1986	C	H	FL	0.0000418	0.04183	2.8	0.97	868	55	81.1	De Metrio et al. (1989b) ***
<i>Thunnus alalunga</i>	Aegean Sea	C	1986	C	H	FL	0.0000356	0.03561	2.84	0.97	501	54.5	81.8	Megalofonou (1991) ***

Table 1 (continued).

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Thunnus alalunga</i>	Aegean Sea	C	1987	C	H	FL	0.0000332	0.03317	2.86	0.94	379	58.2	81.7	Megalofonou (1991) ***
<i>Thunnus alalunga</i>	Aegean Sea	C	1989	C	H	FL	0.0000562	0.05618	2.74	0.94	496	58.7	89	Megalofonou (1991) ***
<i>Thunnus alalunga</i>	Aegean Sea	M	C	C	H	FL	0.0000434	0.04344	2.8	0.96	164	58.7	87	Megalofonou (1991) ***
<i>Thunnus alalunga</i>	Aegean Sea	F	C	C	H	FL	0.0000418	0.04178	2.81	0.95	87	61.5	77	Megalofonou (1991) ***
<i>Thunnus alalunga</i>	Aegean Sea	C	C	C	H	FL	0.0000312	0.03119	2.88	0.96	1742	55.5	89	Megalofonou (1991) ***
<i>Thunnus alalunga</i>	Aegean Sea	M	1989-93	AUT	H	FL	0.0000529	0.0529	2.75	0.97	598	60.2	88	Megalofonou (1998) ***
<i>Thunnus alalunga</i>	Aegean Sea	F	1989-93	AUT	H	FL	0.0000453	0.0453	2.79	0.94	257	57.9	86	Megalofonou (1998) ***
<i>Thunnus alalunga</i>	Aegean Sea	C	1989-93	AUT	H	FL	0.0000803	0.0803	2.65	0.93	1583	58.5	92	Megalofonou (1998) ***
<i>Thunnus alalunga</i>	Ionian Sea	M	1989-93	AUT	H	FL	0.0000488	0.0488	2.76	0.9	214	59	84	Megalofonou (1998) ***
<i>Thunnus alalunga</i>	Ionian Sea	F	1989-93	AUT	H	FL	0.0000965	0.0965	2.6	0.91	227	53	122	Megalofonou (1998) ***
<i>Thunnus alalunga</i>	Ionian Sea	C	1989-93	AUT	H	FL	0.000106	0.106	2.58	0.9	1349	44	122	Megalofonou (1998) ***
<i>Thunnus alalunga</i>	Hellenic Seas	C	1989-93	AUT	H	FL	0.0000658	0.0658	2.69	0.93	2932	44	122	Megalofonou (1998) ***
<i>Thunnus thynnus</i>	Hellenic Seas	C	1986-87	C	H	FL	0.0000921	0.09213	2.61	0.93	100	60	103.6	Lefkaditou et al. (1989) ***
<i>Trachinus araneus</i>	Kyclades	C	1997-98	C	G/H	TL	0.02854	0.02854	2.662	0.98	15	16.5	39	Moutopoulos & Stergiou (2000) **
<i>Trachinus draco</i>	Kyclades	C	1997-98	C	G/H	TL	0.00441	0.00441	3.12	0.96	85	14.5	32	Moutopoulos & Stergiou (2000) **
<i>Trachinus radiatus</i>	Kyclades	C	1997-98	C	G/H	TL	0.01271	0.01271	2.897	0.94	24	15.4	40.4	Moutopoulos & Stergiou (2000) **
<i>Trachurus trachurus</i>	Kyclades	C	1997-98	C	G/H	TL	0.00339	0.00339	3.273	0.96	12	15.8	28	Moutopoulos & Stergiou (2000) **
<i>Trachurus trachurus</i>	G. Saronikos	C	1990	C	T	TL	0.0061	0.0061	3.07	0.968	1193	6.5	33.9	Karlou-Riga & Sinis (1995) **
<i>Trachurus trachurus</i>	G. Saronikos	C	1990	DE-MAY	T	TL	0.0067	0.0067	3.04	0.977	715	7	34	Karlou-Riga (1995) **
<i>Trachurus trachurus</i>	G. Saronikos	C	1990	JU-NO	T	TL	0.0051	0.0051	3.13	0.954	478	11	37	Karlou-Riga (1995) **
<i>Trachurus trachurus</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000002	0.0043056	3.333	0.96	61	10.5	22.6	Petrakis & Stergiou (1995)
<i>Trachurus mediterraneus</i>	G. Saronikos	C	1990	C	T	TL	0.0099	0.0099	2.9	0.959	485	6	42	Karlou-Riga (1995) **
<i>Trachurus mediterraneus</i>	G. Saronikos	C	1990	AP-SE	T	TL	0.0125	0.0125	2.84	0.955	325	6	42	Karlou-Riga (1995) **
<i>Trachurus mediterraneus</i>	G. Saronikos	C	1990	OC-MAY	T	TL	0.007	0.007	3.01	0.972	160	7	39	Karlou-Riga (1995) **
<i>Trachurus mediterraneus</i>	Kyclades	C	1997-98	C	G/H	TL	0.01448	0.01448	2.824	0.92	191	17.3	34.1	Moutopoulos & Stergiou (2000) **
<i>Trachurus mediterraneus</i>	G. S. Evvoikos	C	1992-93	C	B	FL	0.000031	0.0197407	2.804	0.94	81	13.2	26.1	Petrakis & Stergiou (1995)
<i>Trigla lucerna</i>	G. Thermaikos	M	1977-78	C	T	FL	0.000005	0.0070141	3.147	0.992	153	13.2	32.7	Papaconstantinou (1984b)
<i>Trigla lucerna</i>	G. Thermaikos	F	1977-78	C	T	FL	0.000006	0.0077295	3.11	0.997	122	13.5	76.7	Papaconstantinou (1984b)
<i>Trigla lucerna</i>	N. Aegean Sea	C	1992-93	C	T	TL	0.0000096	0.0098463	3.011	0.93	563	6	35	Papaconstantinou et al. (1994)
<i>Trigla lucerna</i>	N. Aegean Sea	M	1992-93	C	T	TL	0.0000115	0.0109068	2.977	0.9	210	-	-	Papaconstantinou et al. (1994)
<i>Trigla lucerna</i>	N. Aegean Sea	F	1992-93	C	T	TL	0.0000038	0.005845	3.187	0.95	181	-	-	Papaconstantinou et al. (1994)
<i>Trigla lyra</i>	G. Saronikos	C	1977	SP	T	FL	0.00002	0.01352166	2.83	0.993	110	-	-	Papaconstantinou (1981)
<i>Trigla lyra</i>	G. Saronikos	C	1976	SU	T	FL	0.000017	0.01289582	2.88	0.998	50	-	-	Papaconstantinou (1981)
<i>Trigla lyra</i>	G. Saronikos	C	1976	AU	T	FL	0.000016	0.01186096	2.87	0.995	100	-	-	Papaconstantinou (1981)
<i>Trigla lyra</i>	G. Saronikos	C	1976	WI	T	FL	0.000016	0.01213724	2.88	0.991	284	-	-	Papaconstantinou (1981)
<i>Trigla lyra</i>	Aegean Sea	C	1990	JU	T	TL	0.000007	0.0075179	3.031	0.99	632	3.5	43.5	Papaconstantinou et al. (1992a)
<i>Trigla lyra</i>	Aegean Sea	C	1990	SE	T	TL	0.000013	0.01064	2.913	0.99	380	3.5	43.5	Papaconstantinou et al. (1992a)
<i>Trigla lyra</i>	Aegean Sea	C	1990	DE	T	TL	0.000028	0.0164119	2.768	0.97	455	3.5	43.5	Papaconstantinou et al. (1992a)
<i>Trigla lyra</i>	Aegean Sea	C	1991	MA	T	TL	0.000013	0.0105912	2.911	0.98	713	6.5	33.5	Papaconstantinou et al. (1992a)
<i>Trigla lyra</i>	C. Aegean Sea	F	1991	C	T	FL	0.000014	0.0110186	2.896	0.97	269	-	-	Papaconstantinou et al. (1993)
<i>Trigla lyra</i>	C. Aegean Sea	M	1991	C	T	FL	0.000021	0.0139065	2.821	0.97	318	-	-	Papaconstantinou et al. (1993)
<i>Trigla lyra</i>	C. Aegean Sea	C	1991	C	T	FL	0.000012	0.0102372	2.931	0.98	904	4.3	47.2	Papaconstantinou et al. (1993)
<i>Trigla lyra</i>	C. Aegean Sea	F	1992	C	T	FL	0.000011	0.0096692	2.944	0.97	183	-	-	Papaconstantinou et al. (1993)
<i>Trigla lyra</i>	C. Aegean Sea	M	1992	C	T	FL	0.000008	0.0079449	2.997	0.98	202	-	-	Papaconstantinou et al. (1993)
<i>Trigla lyra</i>	C. Aegean Sea	C	1992	C	T	FL	0.000014	0.0107431	2.885	0.96	8887	4.3	47.2	Papaconstantinou et al. (1993)
<i>Trisopterus minutus capellanus</i>	G. Evvoikos ⁶	C	1986-87	C	T	FL	0.000002	0.0037586	3.274	0.96	2314	5	27	Papaconstantinou et al. (1989) **
<i>Trisopterus minutus capellanus</i>	G. Evvoikos ⁶	C	1987-88	C	T	FL	0.000004	0.0059164	3.17	0.96	2205	6	27	Papaconstantinou et al. (1989) **
<i>Trisopterus minutus capellanus</i>	C. Aegean Sea	M	1991	C	T	TL	0.0000034	0.0057211	3.226	0.94	306	-	-	Papaconstantinou et al. (1993)
<i>Trisopterus minutus capellanus</i>	C. Aegean Sea	F	1991	C	T	TL	0.0000019	0.0042146	3.346	0.96	291	-	-	Papaconstantinou et al. (1993)
<i>Trisopterus minutus capellanus</i>	C. Aegean Sea	C	1991	C	T	TL	0.0000033	0.0056042	3.23	0.93	882	4.4	21.9	Papaconstantinou et al. (1993)

Table 1 (continued).

Species	Area	S	Year	Season	FM	L	a	a'	b	r ²	n	min	max	Source
<i>Trisopterus minutus capelanus</i>	C. Aegean Sea	M	1992	C	T	TL	0.0000048	0.0067646	3.149	0.9	106	-	-	Papaconstantinou et al. (1993)
<i>Trisopterus minutus capelanus</i>	C. Aegean Sea	F	1992	C	T	TL	0.0000058	0.0076108	3.118	0.91	157	-	-	Papaconstantinou et al. (1993)
<i>Trisopterus minutus capelanus</i>	C. Aegean Sea	C	1992	C	T	TL	0.0000027	0.0050508	3.272	0.9	614	5.4	19.4	Papaconstantinou et al. (1993)
<i>Trisopterus minutus capelanus</i>	N. Aegean Sea	F	1992-93	C	T	TL	0.0000041	0.0063648	3.191	0.97	888	-	-	Papaconstantinou et al. (1994)
<i>Trisopterus minutus capelanus</i>	N. Aegean Sea	M	1992-93	C	T	TL	0.0000052	0.0072444	3.144	0.93	772	-	-	Papaconstantinou et al. (1994)
<i>Trisopterus minutus capelanus</i>	N. Aegean Sea	C	1992-93	C	T	TL	0.0000051	0.0071543	3.147	0.94	2522	6	29	Papaconstantinou et al. (1994)
<i>Trisopterus minutus capelanus</i>	G. Evvoikos	C	1986-88	C	T	TL	0.005863	0.005863	3.217	0.96	4519	5	31	Politou & Papaconstantinou (1991)
<i>Uranoscopus scaber</i>	Kyclades	C	1997-98	C	G/H	TL	0.00775	0.00775	3.228	0.98	30	12.4	28.4	Moutopoulos & Stergiou (2000) **
<i>Xiphias gladius</i>	Hellenic Seas	C	1986-87	C	H	FL	0.0000048	0.004751	3.171	-	960	90	206	De Metrio et al. (1989a) ***
<i>Xiphias gladius</i>	Hellenic Seas	M	1986-87	C	H	LJFL	0.0000074	0.007416	3.07	0.97	129	-	-	Megalofonou et al. (1991) ***
<i>Xiphias gladius</i>	Hellenic Seas	F	1986-87	C	H	LJFL	0.000004	0.003968	3.19	0.98	108	-	-	Megalofonou et al. (1991) ***
<i>Xiphias gladius</i>	Hellenic Seas	C	1986-87	C	H	LJFL	0.0000054	0.005371	3.14	0.97	241	71.5	207	Megalofonou et al. (1991) ***
<i>Xiphias gladius</i>	Aegean Sea	M	1986-88	JU-SE	H	LJFL	0.000009	0.00899	3.03	0.96	280	-	-	Tsimenides & Tserpes (1989) ***
<i>Xiphias gladius</i>	Aegean Sea	F	1986-88	JU-SE	H	LJFL	0.0000095	0.00954	3.11	0.97	396	-	-	Tsimenides & Tserpes (1989) ***
<i>Xiphias gladius</i>	Aegean Sea	M	1986-88	FE-MAY	H	LJFL	0.0000027	0.00273	3.28	0.97	88	-	-	Tsimenides & Tserpes (1989) ***
<i>Xiphias gladius</i>	Aegean Sea	F	1986-88	FE-MAY	H	LJFL	0.0000031	0.00308	3.25	0.97	110	-	-	Tsimenides & Tserpes (1989) ***
<i>Xiphias gladius</i>	Aegean Sea	C	1986-88	C	H	LJFL	0.0000075	0.00751	3.06	0.97	974	54	215	Tsimenides & Tserpes (1989) ***
<i>Xyrichthys novacula</i>	Kyclades	C	1997-98	C	G/H	TL	0.10326	0.10326	2.235	0.91	12	15.5	17.8	Moutopoulos & Stergiou (2000) **
<i>Zeus faber</i>	Kyclades	C	1997-98	C	G/H	TL	0.0159	0.0159	2.95	0.99	14	12.7	55	Moutopoulos & Stergiou (2000) **
<i>Zeus faber</i>	G. Thermaikos	F	1992-93	C	T	TL	0.0000769	0.0381879	2.696	0.7	106	-	-	Papaconstantinou et al. (1994)
<i>Zeus faber</i>	G. Thermaikos	M	1992-93	C	T	TL	0.0003871	0.0895	2.364	0.52	69	-	-	Papaconstantinou et al. (1994)
<i>Zeus faber</i>	G. Thermaikos	C	1992-93	C	T	TL	0.0001666	0.0547867	2.517	0.6	204	5	57	Papaconstantinou et al. (1994)
<i>Zeus faber</i>	G. Evvoikos ⁶	C	1987	C	T	TL	0.0000275	0.0228735	2.92	0.99	166	5.3	8	Stergiou & Fourtouni (1991) **
<i>Zeus faber</i>	G. Evvoikos ⁶	C	1987	C	T	TL	0.0001434	0.0453471	2.5	0.86	15	8	50.6	Stergiou & Fourtouni (1991) **
<i>Zeus faber</i>	G. N. Evvoikos ⁵	C	1993	OC	T	TL	0.04187	0.04187	2.84	0.98	28	8.1	49.2	Stergiou & Politou (1995) **

¹ immature male

* length-weight relationship corresponding to mm, mg

² mature male

** length-weight relationship corresponding to cm, g

³ immature female

*** length-weight relationship corresponding to cm, kg

⁴ mature female⁵ including Trikeri Channel⁶ including Pagassitikos Gulf⁷ questionable records, deviated more than two SD from the regression line between log (a') and b